Superior Essex 4-Pair Plenum Copper Cable: 10Gain Category 6A by Superior Essex

Health Product Declaration v2.1

CLASSIFICATION: 27 10 00.00 Communications: Structured Cabling created via: HPDC Online Builder PRODUCT DESCRIPTION: This HPD covers the Superior Essex 4-Pair plenum 10Gain Category 6A copper cable. 10Gain cable brings Category 6A UTP performance to a new level. This cable meets the internal and alien cross-talk performance requirements of ANSI/TIA-568-C.2 as tested in a 6 around 1 configuration. With guaranteed performance out to 500 MHz and independently verified and monitored by UL, 10Gain CAT 6A cable demonstrates superior capability for 10 Gigabit Ethernet (10GbE) and all other bandwidth intensive and legacy applications.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format Threshold level Residuals/Impurities Are All Substances Above the Threshold Indicated: Residuals/Impurities C 100 ppm Nested Materials Method Characterized • Yes • No Considered in 3 of 4 C Basic Method € 1,000 ppm Percent Weight and Role Provided? Materials C Per GHS SDS Threshold Disclosed Per Screened • Yes • No Explanation(s) provided C Per OSHA MSDS Using Priority Hazard Lists with Material for Residuals/Impurities? C Other Results Disclosed? Product Yes No Identified C Yes C No Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

ELECTRICAL CONDUCTOR [COPPER (COPPER) LT-UNK] PLENUM JACKET 3 [UNDISCLOSED LT-P1 | RES UNDISCLOSED BM-2 | RES UNDISCLOSED LT-1 | CAN UNDISCLOSED BM-2 | PBT | END | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK | SKI UNDISCLOSED BM-1 | MAM | AQU | CAN | MUL UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | MUL UNDISCLOSED LT-P1 | END UNDISCLOSED LT-P1 UNDISCLOSED LT-1 | CAN | END UNDISCLOSED BM-3 UNDISCLOSED LT-P1 UNDISCLOSED LT-UNK UNDISCLOSED BM-3 UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN UNDISCLOSED LT-UNK UNDISCLOSED BM-3 UNDISCLOSED BM-1 | AQU | RES | MUL UNDISCLOSED NoGS UNDISCLOSED LT-P1] FEP WIRE INSULATION 2 [1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE (1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE) LT-UNK | CROSS WEB SEPARATOR 1 [1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE (1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE) LT-UNK

Number of Greenscreen BM-4/BM3 contents....... 3 Contents highest concern GreenScreen Benchmark or List translator Score..... BM-1 Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

All substances in this HPD have been screened using Priority Hazard Lists with results disclosed.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

LCA: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified? PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:**

C Yes No

SCREENING DATE: 2018-02-02 PUBLISHED DATE: 2018-02-28 EXPIRY DATE: 2021-02-02

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- · Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

ELECTRICAL CONDUCTOR

%: 37.7220

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

COPPER (COPPER)					ID: 7440-50-8
%: 100.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Conductor	
HAZARDS:	AGENCY(IES) WITH WARNIN	IGS:			
None Found	No warnings found or	n HPD Priority lists			
SUBSTANCE NOTES:					

PLENUM JACKET 3 %: 37.4080 HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

UNDISCLOSED

%: 30.0000 - 40.0000	GS: LT-P1	RC: None	NANO: No	ROLE: Polymer
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
RESPIRATORY	AOEC - Asthmagens		Asthmagen (Rs) - sensitize	r-induced

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 15.0000 - 25.0000	GS: BM-2	RC: None	NANO: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WAR	NINGS:		
RESPIRATORY	AOEC - Asthmager	าร	Asthmagen (ARs) -	sensitizer-induced - inhalable forms only

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: Impurity/Residual	GS: LT-1	RC: None	nano: No	ROLE: Impurity/Residual
HAZARDS:	AGENCY(IES) WITH	WARNINGS:		
CANCER	US CDC - Occ	upational Carcinogens	Occupa	ational Carcinogen
CANCER	CA EPA - Prop	65	Carcino	ogen - specific to chemical form or exposure route
CANCER	IARC		·	1 - Agent is carcinogenic to humans - inhaled from tional sources
CANCER	US NIH - Repo	rt on Carcinogens	Known setting)	to be Human Carcinogen (respirable size - occupational
CANCER	MAK		Carcino	ogen Group 1 - Substances that cause cancer in man
CANCER	New Zealand -	GHS	6.7A - k	Known or presumed human carcinogens
CANCER	Japan - GHS		Carcino	ogenicity - Category 1A
CANCER	Australia - GHS	3	H350 -	May cause cancer

SUBSTANCE NOTES: This substance is a residual considered proprietary by the supplier; however, the health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 10.0000	GS: BM-2	RC: None	NANO: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
PBT	OSPAR - Priority PBTs 8 concern	& EDs & equivalent	PBT - Chemical for Priori	ty Action
ENDOCRINE	OSPAR - Priority PBTs 8 concern	& EDs & equivalent	Endocrine Disruptor - Ch	emical for Priority Action
PBT	EU - ESIS PBT		Fulfills PBT Criteria - Acti	on Deferred
PBT	ChemSec - SIN List		PBT / vPvB (Persistent, Bioaccumulative, & Toxic / very Persistent & very Bioaccumulative)	
MULTIPLE	German FEA - Substanc	es Hazardous to Waters	Class 2 - Hazard to Water	ers
PBT	EHP - San Antonio State	ment on BFRs & CFRs	Flame retardant substance class of concern for PB&T & lor range transport	

RESTRICTED LIST US EPA - PPT Chemical Action Plans TSCA Work Plan chemical - ongoing chemical (risk) assessment

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 10.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 10.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
SKIN IRRITATION	EU - GHS (H-Statements)		H315 - Causes skin irritation	

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 5.0000	GS: BM-1	RC: None	NANO: No	ROLE: Additive	
HAZARDS:	AGENCY(IES) WITH WARNINGS	:			
MAMMALIAN	EU - R-phrases	EU - R-phrases		on (gas or vapor or dust/mist)	
MAMMALIAN	EU - R-phrases	EU - R-phrases		R22 - Harmful if Swallowed	
ACUTE AQUATIC	EU - R-phrases		R51 - Toxic to Aquatic Organisms		
CANCER	IARC		Group 2b - Possibly carcinogenic to humans		
CANCER	CA EPA - Prop 65		Carcinogen		
CHRON AQUATIC	EU - GHS (H-Statement	EU - GHS (H-Statements)		e with long lasting effects	
CANCER	EU - GHS (H-Statement	EU - GHS (H-Statements)		sing cancer	
MULTIPLE	ChemSec - SIN List		CMR - Carcinogen, Mutagen &/or Reproductive Toxicant		
CANCER	MAK		Carcinogen Group 2 - Considered to be carcinogenic for man		
CANCER	Japan - GHS		Carcinogenicity - Categor	y 1B	

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNING	GS:		
None Found	No warnings found on	HPD Priority lists		
SUBSTANCE NOTES: This subs	stance is considered proprietar	y by the supplier; howeve	r, the percentage and he	ealth hazards are disclosed.

UNDISCLOSED

HAZARDS: AGENCY(IES) WITH WARNINGS:	
MULTIPLE German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters	

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 2.0000	GS: LT-P1	GS: LT-P1 RC: None NANO: No ROLE: Additive			
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
ENDOCRINE	TEDX - Potential Endocri	Potential Endocrine Disruptors Potential Endocrine Disruptor			

 ${\tt SUBSTANCE\ NOTES:}\ This\ substance\ is\ considered\ proprietary\ by\ the\ supplier;\ however,\ the\ percentage\ and\ health\ hazards\ are\ disclosed.$

UNDISCLOSED

%: 0.0000 - 5.0000	GS: LT-P1	RC: None	nano: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARN	IINGS:		
None Found	No warnings found	on HPD Priority lists		

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 2.0000	GS: LT-1	RC: None	NANO: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WAR	ININGS:		
CANCER	US CDC - Occupa	US CDC - Occupational Carcinogens		inogen
CANCER	CA EPA - Prop 65	CA EPA - Prop 65		fic to chemical form or exposure route

CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 1.5000	GS: BM-3	RC: None	nano: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 1.0000	GS: LT-P1	RC: None	nano: No	ROLE: Additive	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 1.0000	GS: LT-UNK	rc: None	NANO: No	ROLE: Additive		
HAZARDS:	AGENCY(IES) WITH WARNING	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 1.0000	GS: BM-3	RC: None	nano: No	ROLE: Additive		
HAZARDS:	AGENCY(IES) WITH WARN	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists					

 ${\tt SUBSTANCE\ NOTES:}\ This\ substance\ is\ considered\ proprietary\ by\ the\ supplier;\ however,\ the\ percentage\ and\ health\ hazards\ are\ disclosed.$

UNDISCLOSED

%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Additive	
HAZARDS:	AGENCY(IES) WITH WARNING	9S:			
None Found	No warnings found on	No warnings found on HPD Priority lists			
SUBSTANCE NOTES: This subs	stance is considered proprietary	y by the supplier; howeve	r, the percentage and he	ealth hazards are disclosed.	

UNDISCLOSED

%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNING	S:		
None Found	No warnings found on	HPD Priority lists		
SUBSTANCE NOTES: This subs	stance is considered proprietary	by the supplier; howeve	r, the percentage and he	alth hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 1.0000	GS: LT-1	RC: None	nano: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNI	NGS:		
CANCER	US CDC - Occupation	US CDC - Occupational Carcinogens		en
CANCER	CA EPA - Prop 65	CA EPA - Prop 65		o chemical form or exposure route
CANCER	IARC	IARC		arcinogenic to humans - inhaled from
CANCER	MAK		Carcinogen Group 3B sufficient for classificat	- Evidence of carcinogenic effects but not ion

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 5.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Filler
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: **0.0000 - 5.0000** GS: **BM-3** RC: **None** NANO: **No** ROLE: **Flame Retardant**

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 5.0000	GS: BM-1 RC: None	NANO: No ROLE: Flame Retardant
HAZARDS:	AGENCY(IES) WITH WARNINGS:	
ACUTE AQUATIC	EU - R-phrases	R50 - Very Toxic to Aquatic Organisms
RESPIRATORY	AOEC - Asthmagens	Asthmagen (ARs) - sensitizer-induced - inhalable forms only
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life M = 1000000
CHRON AQUATIC	ATIC EU - GHS (H-Statements) H410 - Very toxic to aquatic life with long last	
RESTRICTED LIST	German FEA - Substances Hazardou	us to Waters Class 2 - Hazard to Waters

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 5.0000 GS: NoGS RC: None NANO: No ROLE: F	lame Retardant					
HAZARDS: AGENCY(IES) WITH WARNINGS:	AGENCY(IES) WITH WARNINGS:					
None Found No warnings found on HPD Priority lists	No warnings found on HPD Priority lists					

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 5.0000	GS: LT-P1	RC: None	NANO: No	ROLE: Functional Filler		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Priority lists					

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

FEP WIRE INSULATION 2

%: 19.2380

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

residuals and impurities considered: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm.

Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE (1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE) 8: 100.0000 GS: LT-UNK RC: NANO: ROLE: None No Insulation HAZARDS: AGENCY(IES) WITH WARNINGS: None Found No warnings found on HPD Priority lists

CROSS WEB SEPARATOR 1

SUBSTANCE NOTES:

%: 5.6280

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Residuals are not considered; proprietary additives are used in the manufacturing of this material and should be fully consumed in the process.

OTHER MATERIAL NOTES: All substances excluding residuals are disclosed to 1,000 ppm.

1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE (1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE)

ID: 25067-11-2

%: 100.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Cross web separator
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

01

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All

ISSUE DATE:0000-01-

EXPIRY DATE:

CERTIFIER OR LAB: None

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

LCA

06

ISSUE DATE: 2014-06-

Environmental Product Declaration

06-06

EXPIRY DATE: 2019-

CERTIFIER OR LAB: UL Environment

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Hoisington, KS, USA

CERTIFICATE URL:

http://ce.superioressex.com/about/environmental/

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

POLYESTER PULL STRING

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Installers use wire pulling string as a safe means of pulling wire and cable in the installation. When using proper pulling string, it is possible to install cable without harming the installer or the product.



Section 5: General Notes

This Health Product Declaration was prepared by Sustainable Solutions Corporation of Royersford, Pennsylvania on behalf of Superior Essex.



Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: Superior Essex

ADDRESS: 6120 Powers Ferry Road Suite 150

Atlanta GA 30339, USA

WEBSITE: http://ce.superioressex.com/

CONTACT NAME: Steve Born

TITLE: Sr. Applications Engineer, LEED AP BD+C

PHONE: **770-657-6000**

EMAIL: steve.born@spsx.com

KEY

OSHA MSDS

Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer **DEV** Developmental toxicity

GLO Global warming MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

PHY Physical Hazard (reactive) **REP** Reproductive toxicity **RES** Respiratory sensitization

Superior Essex 4-Pair Plenum Copper Cable: 10Gain Category 6A hpdrepository.hpd-collaborative.org

END Endocrine activity **EYE** Eye irritation/corrosivity **GEN** Gene mutation

NEU Neurotoxicity **OZO** Ozone depletion **PBT** Persistent Bioaccumulative Toxic

SKI Skin sensitization/irritation/corrosivity **LAN** Land Toxicity **NF** Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspeci ed (insu cient data to benchmark)

LT-P1 List Translator Possible Benchmark 1
LT-1 List Translator Likely Benchmark 1
LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per produc

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.