Superior Essex 4-Pair Riser Copper Cable: 10Gain Category 6A by Superior Essex

Health Product Declaration v2.1

created via: HPDC Online Builder

CLASSIFICATION: 27 10 00.00 Communications: Structured Cabling

PRODUCT DESCRIPTION: This HPD covers the Superior Essex 4-Pair riser 10Gain Category 6A copper cable. 10Gain cable brings Category 6A UTP performance to a new level. This cable meets the internal and alien cross-talk performance requirements of ANSI/TIA-568-C.2 as tested in a 6 around 1 configuration. With guaranteed performance out to 500 MHz and independently verified and monitored by UL, 10Gain CAT 6A cable demonstrates superior capability for 10 Gigabit Ethernet (10GbE) and all other bandwidth intensive and legacy applications.



Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

C Basic Method

Threshold Disclosed Per

Material

LT-P1 | MUL]

Product

Threshold level

C 100 ppm

⊙ 1,000 ppm

Per GHS SDS C Per OSHA MSDS

C Other

Residuals/Impurities

Residuals/Impurities Considered in 6 of 6 Materials

Explanation(s) provided for Residuals/Impurities?

• Yes • No

Are All Substances Above the Threshold Indicated:

Characterized

Yes ○ No

Percent Weight and Role Provided?

Screened

Yes ○ No

Using Priority Hazard Lists with Results Disclosed?

Identified

C Yes O No

Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ELECTRICAL CONDUCTOR [COPPER (COPPER) LT-UNK] CROSS WEB SEPARATOR 2 [POLYETHYLENE (POLYETHYLENE) LT-UNK **DECABROMODIPHENYLETHANE (DBDPE)** (DECABROMODIPHENYLETHANE (DBDPE)) BM-1 | PBT | END ANTIMONY TRIOXIDE (ANTIMONY TRIOXIDE) BM-1 | MAM | AQU | CAN | MUL] RISER INSULATION 1 [UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | PBT | END UNDISCLOSED BM-1 | MAM | AQU | CAN | MUL UNDISCLOSED LT-UNK | PBT | RISER INSULATION 2 | UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | RES | END UNDISCLOSED LT-P1 UNDISCLOSED LT-P1 | CAN UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK] RISER JACKET 1 [UNDISCLOSED LT-P1 | RES UNDISCLOSED BM-2 RES UNDISCLOSED LT-UNK UNDISCLOSED BM-3 UNDISCLOSED BM-2 PBT | END | MUL UNDISCLOSED BM-1 | MUL UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | MAM | AQU | CAN | MUL UNDISCLOSED NoGS UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN | END UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | MUL] RISER JACKET 3 [UNDISCLOSED LT-P1 | RES UNDISCLOSED BM-2 | RES UNDISCLOSED LT-UNK UNDISCLOSED BM-3 UNDISCLOSED BM-2 | PBT | END | MUL UNDISCLOSED BM-1 | MUL UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | MAM | AQU | CAN | MUL UNDISCLOSED NoGS UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN | END UNDISCLOSED LT-UNK UNDISCLOSED

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

All substances in this HPD have been screened using Priority Hazard Lists with results disclosed

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC emissions: N/A

LCA: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

PREPARER: Self-Prepared

C Yes
No

VERIFIER: VERIFICATION #: SCREENING DATE: 2017-12-05 PUBLISHED DATE: 2018-03-23 EXPIRY DATE: 2020-12-05



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

ELECTRICAL CONDUCTOR

%: 29.3780

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

COPPER (COPPER)				ID:	7440-50-8
%: 100.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Conductor	
HAZARDS:	AGENCY(IES) WITH WARNII	NGS:			
None Found	No warnings found	on HPD Priority lists			
SUBSTANCE NOTES:					

CROSS WEB SEPARATOR 2

%: 8.1540

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

other material notes: All substances including residuals are disclosed to 1,000 ppm.

POLYETHYLENE (POLYETHYLENE)

ID: 9002-88-4

%: 75.0000 - 78.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Cross Web Separator Resin			
HAZARDS:	AGENCY(IES) WITH WARNIN	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Priority lists						

SUBSTANCE NOTES: Substance ranges based on supplier documentation.

%: 16.0000 - 18.0000	gs: BM-1 Re	c: None	nano: No	ROLE: Cross Web Separator Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
PBT	OSPAR - Priority PBTs & EDs & equival concern	lent	PBT - Chemic	cal for Priority Action
ENDOCRINE	OSPAR - Priority PBTs & EDs & equival concern	lent	Endocrine Dis	sruptor - Chemical for Priority Action
PBT	ChemSec - SIN List		•	Persistent, Bioaccumulative, & Toxic / very very Bioaccumulative)
PBT	EHP - San Antonio Statement on BFRs	& CFRs	Flame retarda	ant substance class of concern for PB&T &

SUBSTANCE NOTES: Substance ranges based on supplier documentation.

ANTIMONY TRIOXIDE (ANTIMONY TRIOXIDE)

ID: 1309-64-4

%: 5.0000 - 8.0000	GS: BM-1	RC: None	nano: No	ROLE: Cross Web Separator Additive	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
MAMMALIAN	EU - R-phrases		R20	- Harmful by Inhalation (gas or vapor or dust/mist)	
MAMMALIAN	EU - R-phrases		R22	- Harmful if Swallowed	
ACUTE AQUATIC	EU - R-phrases	EU - R-phrases		- Toxic to Aquatic Organisms	
CANCER	IARC		Group 2b - Possibly carcinogenic to humans		
CANCER	CA EPA - Prop 65		Carcinogen		
CHRON AQUATIC	EU - GHS (H-Statements))	H411 - Toxic to aquatic life with long lasting effects		
CANCER	EU - GHS (H-Statements))	H351 - Suspected of causing cancer		
MULTIPLE	ChemSec - SIN List		CMR - Carcinogen, Mutagen &/or Reproductive T		
CANCER	MAK		Carcinogen Group 2 - Considered to be carcino man		
CANCER	Japan - GHS		Caro	inogenicity - Category 1B	

SUBSTANCE NOTES: Substance ranges based on supplier documentation.

RISER INSULATION 1 %: 0.0000 - 7.0200

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known

impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: Alternate to Riser Insulation 2. All substances including residuals are disclosed to 1,000 ppm.

%: 49.3700	GS: LT-UNK	RC: None	NANO: No	ROLE: Copolymer			
HAZARDS:	AGENCY(IES) WITH WARNIN	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found o	on HPD Priority lists					

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 37.0700	GS: BM-1	RC: None	nano: No	ROLE: Copolymer	
HAZARDS:	AGENCY(IES) WITH WARNIN	GS:			
РВТ	OSPAR - Priority PB concern	Ts & EDs & equivalent	PBT - Chemical	for Priority Action	
ENDOCRINE	OSPAR - Priority PB concern	OSPAR - Priority PBTs & EDs & equivalent concern		Endocrine Disruptor - Chemical for Priority Action	
РВТ	ChemSec - SIN List	ChemSec - SIN List		sistent, Bioaccumulative, & Toxic / very / Bioaccumulative)	
PBT	EHP - San Antonio S	Statement on BFRs & CFRs	Flame retardant long range trans	substance class of concern for PB&T & port	

6: 12.3600	GS: BM-1 RC: None	NANO: No ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:	
MAMMALIAN	EU - R-phrases	R20 - Harmful by Inhalation (gas or vapor or dust/mist)
MAMMALIAN	EU - R-phrases	R22 - Harmful if Swallowed
ACUTE AQUATIC	EU - R-phrases	R51 - Toxic to Aquatic Organisms
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CANCER	Japan - GHS	Carcinogenicity - Category 1B

HAZARDS: AGENCY(IES) WITH WARNINGS: PBT EU - ESIS PBT Under PBT evaluation	%: 0.3300	gs: LT-UNK	RC: None	nano: No	ROLE: Additive
PBT EU - ESIS PBT Under PBT evaluation	HAZARDS:	AGENCY(IES) WITH WARNINGS:			
	РВТ	EU - ESIS PBT		Under PBT evaluation	

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

RISER INSULATION 2 %: 0.0000 - 7.0200 HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

other material notes: Alternate to Riser Insulation 1. All substances including residuals are disclosed to 1,000 ppm.

%: 97.3700	gs: LT-UNK	RC: None	nano: No	ROLE: Proprietary			
HAZARDS:	AGENCY(IES) WITH WARNING	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found o	No warnings found on HPD Priority lists					

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 0.7000	GS: LT-UNK	RC: None	nano: No	ROLE: Proprietary		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Priority lists					

%: 0.6800	GS: LT-1	RC: None	nano: No	ROLE: Proprietary
HAZARDS:	AGENCY(IES) WITH W.	AGENCY(IES) WITH WARNINGS:		
RESPIRATORY	AOEC - Asthma	AOEC - Asthmagens		s) - sensitizer-induced
RESPIRATORY	EU - GHS (H-Sta	EU - GHS (H-Statements)		use allergy or asthma symptoms or breathing haled

RISER JACKET 1 %: 0.0000 - 55.4450 HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known

impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: Alternate to Riser Jacket 3. All substances including residuals are disclosed to 1,000 ppm.

%: 38.0000 - 40.0000	GS: LT-P1	RC: None	nano: No	ROLE: Polymer		
HAZARDS:	AGENCY(IES) WITH WARNI	AGENCY(IES) WITH WARNINGS:				
RESPIRATORY	AOEC - Asthmagen	s	Asthmagen (Rs) - s	ensitizer-induced		

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 26.0000 - 28.0000	GS: BM-2	RC: None	nano: No	ROLE: Flame Retardant
HAZARDS:	AGENCY(IES) WITH W	VARNINGS:		
RESPIRATORY	AOEC - Asthmagens		Asthmag only	gen (ARs) - sensitizer-induced - inhalable forms

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 10.0000 - 12.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Softening Additive		
HAZARDS:	AGENCY(IES) WITH WARN	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 6.5000 - 7.5000	GS: BM-3	RC: None	nano: No	ROLE: Flame Retardant	
HAZARDS:	AGENCY(IES) WITH W	ARNINGS:			
None Found	No warnings found on HPD Priority lists				

%: 6.0000 - 7.0000	GS: BM-2	RC: None	nano: No	ROLE: Softening Additive
HAZARDS:	AGENCY(IES) WITH V	VARNINGS:		
PBT	OSPAR - Priorit	ty PBTs & EDs & equivale	nt PBT - C	Chemical for Priority Action
ENDOCRINE	OSPAR - Priori	ty PBTs & EDs & equivale	nt Endocr	ine Disruptor - Chemical for Priority Action

	concern	
РВТ	EU - ESIS PBT	Fulfills PBT Criteria - Action Deferred
РВТ	ChemSec - SIN List	PBT / vPvB (Persistent, Bioaccumulative, & Toxic / very Persistent & very Bioaccumulative)
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
РВТ	EHP - San Antonio Statement on BFRs & CFRs	Flame retardant substance class of concern for PB&T & long range transport
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - ongoing chemical (risk) assessment

%: 2.0000 - 3.0000	GS: BM-1	RC: None	nano: No	ROLE: Flame Retardant		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - H	lazard to Waters		

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 0.5100 - 0.8500	GS: LT-UNK	RC: None	nano: No	ROLE: Stabilizer		
HAZARDS:	AGENCY(IES) WITH WARNIN	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found o	No warnings found on HPD Priority lists				

%: 0.5000 - 1.5000	GS: BM-1	RC: None	nano: No	ROLE: Flame Retardant	
HAZARDS:	AGENCY(IES) WITH W.	AGENCY(IES) WITH WARNINGS:			
MAMMALIAN	EU - R-phrases	EU - R-phrases		nful by Inhalation (gas or vapor or dust/mist)	
MAMMALIAN	EU - R-phrases	EU - R-phrases		R22 - Harmful if Swallowed	
ACUTE AQUATIC	EU - R-phrases	EU - R-phrases		c to Aquatic Organisms	
CANCER	IARC		Group 2b - Possibly carcinogenic to humans		
CANCER	CA EPA - Prop	CA EPA - Prop 65		n	
CHRON AQUATIC	EU - GHS (H-Sta	EU - GHS (H-Statements)		xic to aquatic life with long lasting effects	
CANCER	EU - GHS (H-Sta	EU - GHS (H-Statements)		spected of causing cancer	

MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CANCER	Japan - GHS	Carcinogenicity - Category 1B
SUBSTANCE NOTES: This substance	is considered proprietary by the suppli	er; however, the percentage and health hazards are disclosed.
%: 0.5000 - 1.0000	GS: NoGS RC: None	NANO: No ROLE: Smoke Suppressant
HAZARDS:	AGENCY(IES) WITH WARNINGS:	
None Found	No warnings found on HPD Priority lists	
SUBSTANCE NOTES: This substance	is considered proprietary by the suppli	er; however, the percentage and health hazards are disclosed.
%: 0.4700 - 0.7900	GS: LT-UNK RC: None	NANO: No ROLE: Stabilizer
HAZARDS:	AGENCY(IES) WITH WARNINGS:	
None Found	No warnings found on HPD Priority lists	
SUBSTANCE NOTES: This substance	is considered proprietary by the suppli	er; however, the percentage and health hazards are disclosed.
%: 0.2000 - 0.3000	GS: LT-1 RC: None	NANO: No ROLE: Colorant
HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
SUBSTANCE NOTES: This substance	is considered proprietary by the suppli	er; however, the percentage and health hazards are disclosed.
%: 0.1800 - 0.3000	GS: LT-UNK RC: None	NANO: No ROLE: Stabilizer
HAZARDS:	AGENCY(IES) WITH WARNINGS:	

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 0.1500 - 0.2500	gs: LT-P1 RC: None	nano: No	ROLE: Stabilizer			
HAZARDS:	AGENCY(IES) WITH WARNINGS:	AGENCY(IES) WITH WARNINGS:				
RESTRICTED LIST	German FEA - Substances Hazardous to Waters	Class 2 - Hazard	to Waters			

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

RISER JACKET 3 %: 0.0000 - 55.4450 HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: Alternate to Riser Jacket 1. All substances including residuals are disclosed to 1,000 ppm.

%: 38.0000 - 40.0000	GS: LT-P1	RC: None	nano: No	ROLE: Polymer
HAZARDS:	AGENCY(IES) WITH WARNI	NGS:		
RESPIRATORY	AOEC - Asthmagen	AOEC - Asthmagens		ensitizer-induced

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

RESPIRATORY	AOEC - Asthmagens		Asthmago only	en (ARs) - sensitizer-induced - inhalable forms
HAZARDS:	AGENCY(IES) WITH V	VARNINGS:		
%: 26.0000 - 28.0000	GS: BM-2	RC: None	nano: No	ROLE: Flame Retardant

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 10.0000 - 12.0000 GS: LT-UNK RC: None NANO: NO ROLE: Softening Additive

HAZARDS: AGENCY(IES) WITH WARNINGS:

Superior Essex 4-Pair Riser Copper Cable: 10Gain Category 6A hpdrepository.hpd-collaborative.org

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 6.5000 - 7.5000	GS: BM-3	RC: None	nano: No	ROLE: Flame Retardant	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

GS: BM-2	RC: None	NANO: No	ROLE: Softening Additive	
AGENCY(IES) WITH WA	RNINGS:			
OSPAR - Priority concern	PBTs & EDs & equivalent	PBT - Ch	emical for Priority Action	
OSPAR - Priority concern	PBTs & EDs & equivalent	Endocrin	e Disruptor - Chemical for Priority Action	
EU - ESIS PBT		Fulfills PE	BT Criteria - Action Deferred	
ChemSec - SIN L	List		vB (Persistent, Bioaccumulative, & Toxic / very at & very Bioaccumulative)	
German FEA - Su Waters	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	
EHP - San Anton	nio Statement on BFRs & Cl		tardant substance class of concern for PB&T & ge transport	
US EPA - PPT CI	hemical Action Plans	TSCA Wo	ork Plan chemical - ongoing chemical (risk) ent	
	OSPAR - Priority concern OSPAR - Priority concern EU - ESIS PBT ChemSec - SIN I German FEA - Si Waters EHP - San Antor	OSPAR - Priority PBTs & EDs & equivalent concern OSPAR - Priority PBTs & EDs & equivalent concern EU - ESIS PBT ChemSec - SIN List German FEA - Substances Hazardous to Waters	OSPAR - Priority PBTs & EDs & equivalent concern OSPAR - Priority PBTs & EDs & equivalent concern EU - ESIS PBT ChemSec - SIN List PBT / vP Persister German FEA - Substances Hazardous to Waters EHP - San Antonio Statement on BFRs & CFRs Flame recong range US EPA - PPT Chemical Action Plans TSCA Waters	

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 2.0000 - 3.0000	GS: BM-1	RC: None	NANO: No	ROLE: Flame Retardant
HAZARDS:	AGENCY(IES) WITH WARNI	INGS:		
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Haza	ard to Waters

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 0.5100 - 0.8500 GS: LT-UNK RC: None NANO: No ROLE: Stabilizer

%: 0.5000 - 1.5000	GS: BM-1	RC: None	NANO: No	ROLE: Flame Retardant		
HAZARDS:	AGENCY(IES) WITH W.	ARNINGS:				
MAMMALIAN	EU - R-phrases		R20 - Har	R20 - Harmful by Inhalation (gas or vapor or dust/mist)		
MAMMALIAN	EU - R-phrases		R22 - Har	mful if Swallowed		
ACUTE AQUATIC	EU - R-phrases	EU - R-phrases		R51 - Toxic to Aquatic Organisms		
CANCER	IARC	IARC		Group 2b - Possibly carcinogenic to humans		
CANCER	CA EPA - Prop	CA EPA - Prop 65		Carcinogen		
CHRON AQUATIC	EU - GHS (H-Sta	EU - GHS (H-Statements)		xic to aquatic life with long lasting effects		
CANCER	EU - GHS (H-Sta	atements)	H351 - Su	spected of causing cancer		
MULTIPLE	ChemSec - SIN	ChemSec - SIN List		rcinogen, Mutagen &/or Reproductive Toxicant		
CANCER	MAK	MAK		en Group 2 - Considered to be carcinogenic for		
CANCER	Japan - GHS		Carcinoge	enicity - Category 1B		

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 0.5000 - 1.0000	gs: NoGS	RC: None	nano: No	ROLE: Smoke Suppressant			
HAZARDS:	AGENCY(IES) WITH W	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings fo	No warnings found on HPD Priority lists					

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 0.4700 - 0.7900	GS: LT-UNK	RC: None	NANO: No	ROLE: Stabilizer	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

%: 0.2000 - 0.3000	GS: LT-1	RC: None	nano: No	ROLE: Colorant	
HAZARDS:	AGENCY(IES) WITH WARNI	INGS:			
CANCER	US CDC - Occupati	US CDC - Occupational Carcinogens		rinogen	
CANCER	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CANCER	IARC		Group 2B - Possibly carcinogenic to humans - inhaled for occupational sources		
ENDOCRINE	TEDX - Potential Er	ndocrine Disruptors	Potential Endocrine Disruptor		
CANCER	MAK			3A - Evidence of carcinogenic effects o establish MAK/BAT value	

%: 0.1800 - 0.3000	GS: LT-UNK	RC: None	nano: No	ROLE: Stabilizer			
HAZARDS:	AGENCY(IES) WITH WARNIN	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found o	No warnings found on HPD Priority lists					

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 0.1500 - 0.2500	GS: LT-P1	RC: None	nano: No	ROLE: Stabilizer	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
RESTRICTED LIST	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

CERTIFYING PARTY: Self-declared

ISSUE DATE: 0000-

EXPIRY DATE:

CERTIFIER OR LAB: None

APPLICABLE FACILITIES: All

01-01

CERTIFICATE URL:

LCA

CERTIFICATION AND COMPLIANCE NOTES:

Environmental Product Declaration

CERTIFYING PARTY: Third Party

ISSUE DATE: 2014-

EXPIRY DATE: 2019-

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: Hoisington, KS, USA

06-06

06-06

Environment

CERTIFICATE URL:

http://ce.superioressex.com/about/environmental/

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

POLYESTER PULL STRING

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Installers use wire pulling string as a safe means of pulling wire and cable in the installation. When using proper pulling string, it is possible to install cable without harming the installer or the product.



Section 5: General Notes

This Health Product Declaration was prepared by Sustainable Solutions Corporation of Royersford, Pennsylvania on behalf of Superior Essex.

MANUFACTURER INFORMATION

MANUFACTURER: Superior Essex

ADDRESS: 6120 Powers Ferry Road Suite 150

Atlanta GA 30339, USA

WEBSITE: http://ce.superioressex.com/

CONTACT NAME: Steve Born

TITLE: Sr. Applications Engineer, LEED AP BD+C

PHONE: 770-657-6000

EMAIL: steve.born@spsx.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity **RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown

None Does not include recycled content

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.