Superior Essex 4-Pair Plenum Copper Cable: 10Gain XP Category 6A by Superior Essex

CLASSIFICATION: 27 10 00.00 Communications: Structured Cabling

Health Product Declaration v2.1

created via: HPDC Online Builder

PRODUCT DESCRIPTION: This HPD covers the Superior Essex 4-Pair plenum 10Gain XP Category 6A copper cable. 10Gain® XP is the first Category 6A cable without a continuous shield to offer 7 dB margin over Alien Crosstalk (AXT) performance requirements in ANSI/TIA-568-C.2. Its uniquely designed Isolation Wrap contains discontinuous sections of metallized material, held in place by a polymeric layer. 10Gain XP has a nominal 0.265 (CMP) or 0.275" (CMR) diameter that allows for higher cable density than other CAT 6A cable products. 10Gain XP is ideal for PoE applications requiring higher levels of current and simultaneously up to 10 Gigabit Ethernet. 10Gain XP is certified for HD A/V applications using HDBaseT Class A and B protocol.

Section 1: Summary

CONTENT INVENTORY

- **Inventory Reporting Format**
- Nested Materials Method
- C Basic Method

Threshold Disclosed Per

- C Material
- Product

Threshold level C 100 ppm C 1,000 ppm C Per GHS SDS

C Per OSHA MSDS

C Other

Residuals/Impurities Residuals/Impurities Considered in 4 of 5 Materials

Explanation(s) provided for Residuals/Impurities?

Nested Method / Product Threshold

Are All Substances Above the Threshold Indicated:

Characterized Percent Weight and Role Provided? Or Yes O No

C Yes 🖸 No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

ELECTRICAL CONDUCTOR [COPPER (COPPER) LT-UNK] PLENUM JACKET 3 [UNDISCLOSED LT-P1 | RES UNDISCLOSED BM-2 | RES UNDISCLOSED LT-1 | CAN UNDISCLOSED BM-2 | PBT | END | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK | SKI UNDISCLOSED BM-1 | MAM | AQU | CAN | MUL UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | MUL UNDISCLOSED LT-P1 | END UNDISCLOSED LT-P1 UNDISCLOSED LT-1 | CAN | END UNDISCLOSED BM-3 UNDISCLOSED LT-P1 UNDISCLOSED LT-UNK UNDISCLOSED BM-3 UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN FUNCTIONAL FILLER 1 LT-UNK FLAME RETARDANT 1 BM-3 FLAME RETARDANT 2 BM-1 | AQU | RES | MUL FLAME RETARDANT 3 NoGS FUNCTIONAL FILLER 2 LT-P1] FEP WIRE INSULATION 2 [1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE (1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE) LT-UNK | CROSS WEB SEPARATOR 1 [1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE (1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE) LT-UNK] TAPE SHIELD 2 [ALUMINUM (ALUMINUM) LT-P1 | RES | END | PHY POLYETHYLENE TEREPHTHALATE (PET) (POLYETHYLENE TEREPHTHALATE (PET)) LT-UNK 1

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Name and Identifier Provided?

Identified

INVENTORY AND SCREENING NOTES:

All substances in this HPD have been screened using Priority Hazard Lists with results disclosed.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A LCA: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

C Yes

No

Third Party Verified? PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

SCREENING DATE: 2018-02-20 PUBLISHED DATE: 2018-02-28 EXPIRY DATE: 2021-02-20

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

ELECTRICAL CONDUCTOR	%: 35.5620	HPD URL:	
1000 mm		Noo	

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

ID: 7440-50-8 %: 100.0000 GS: LT-UNK RC: None NANO: No ROLE: Conductor HAZARDS: AGENCY(IES) WITH WARNINGS: VANO: No ROLE: Conductor None Found No warnings found on HPD Priority lists Vano: No

SUBSTANCE NOTES:

PLENUM JACKET 3	%: 23.4970	HPD URL:
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Ye	9S

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

UNDISCLOSED				
%: 30.0000 - 40.0000	GS: LT-P1	RC: None	NANO: NO	ROLE: Polymer
HAZARDS:	AGENCY(IES) WITH WARNI	NGS:		
RESPIRATORY	AOEC - Asthmagens	3	Asthmagen (Rs) - se	ensitizer-induced
SUBSTANCE NOTES. This subst	ance is considered proprieta	ary by the supplier: how	ever the percentage and h	nealth hazards are disclosed.
SUBSTANCE NOTES. THIS SUBST			ever, the percentage and t	

UNDISCLOSED

%: 15.0000 - 25.0000	GS: BM-2	RC: None	NANO: NO	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNII	NGS:		
RESPIRATORY	AOEC - Asthmagens	AOEC - Asthmagens		sensitizer-induced - inhalable forms only

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: Impurity/Residual	GS: LT-1	RC: None	NANO: NO	ROLE: Impurity/Residual
HAZARDS:	AGENCY(IES) WITH	WARNINGS:		
CANCER	US CDC - Occ	upational Carcinogens	Occupa	ational Carcinogen
CANCER	CA EPA - Prop	65	Carcino	ogen - specific to chemical form or exposure route
CANCER	IARC			1 - Agent is carcinogenic to humans - inhaled from tional sources
CANCER	US NIH - Repo	US NIH - Report on Carcinogens		to be Human Carcinogen (respirable size - occupational)
CANCER	MAK		Carcino	ogen Group 1 - Substances that cause cancer in man
CANCER	New Zealand -	New Zealand - GHS		Known or presumed human carcinogens
CANCER	Japan - GHS		Carcino	ogenicity - Category 1A
CANCER	Australia - GHS	3	H350 -	May cause cancer

SUBSTANCE NOTES: This substance is a residual considered proprietary by the supplier; however, the health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 10.0000	GS: BM-2	RC: None	NANO: NO	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNI	NGS:		
PBT	OSPAR - Priority PB concern	Ts & EDs & equivalent	PBT - Chemical for P	riority Action
ENDOCRINE	OSPAR - Priority PB concern	Ts & EDs & equivalent	Endocrine Disruptor -	Chemical for Priority Action
PBT	EU - ESIS PBT		Fulfills PBT Criteria -	Action Deferred
РВТ	ChemSec - SIN List		PBT / vPvB (Persister Persistent & very Bioa	nt, Bioaccumulative, & Toxic / very accumulative)
MULTIPLE	German FEA - Subs	tances Hazardous to Waters	Class 2 - Hazard to W	laters
РВТ	EHP - San Antonio S	Statement on BFRs & CFRs	Flame retardant subs range transport	tance class of concern for PB&T & long

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Additive	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
SKIN IRRITATION	EU - GHS (H-Statements)		H315 - Causes skin irrita	ation

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 5.0000	GS: BM-1	RC: None	NANO: No	ROLE: Additive	
HAZARDS:	AGENCY(IES) WITH WARNIN	GS:			
MAMMALIAN	EU - R-phrases		R20 - Harmful by Inha	alation (gas or vapor or dust/mist)	
MAMMALIAN	EU - R-phrases		R22 - Harmful if Swal	lowed	
ACUTE AQUATIC	EU - R-phrases	EU - R-phrases		R51 - Toxic to Aquatic Organisms	
CANCER	IARC	IARC		Group 2b - Possibly carcinogenic to humans	
CANCER	CA EPA - Prop 65	CA EPA - Prop 65		Carcinogen	
CHRON AQUATIC	EU - GHS (H-Stateme	ents)	H411 - Toxic to aquat	H411 - Toxic to aquatic life with long lasting effects	
CANCER	EU - GHS (H-Stateme	ents)	H351 - Suspected of	causing cancer	
MULTIPLE	ChemSec - SIN List	ChemSec - SIN List		lutagen &/or Reproductive Toxicant	
CANCER	МАК	МАК		Considered to be carcinogenic for man	
CANCER	Japan - GHS		Carcinogenicity - Cate	egory 1B	

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 5.0000	gs: LT-UNK	RC: None	NANO: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 2.0000	GS: BM-1	RC: None	NANO: NO	ROLE: Additive	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Wate	rs	

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 2.0000	GS: LT-P1	RC: None	NANO: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disrupt	tor

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 5.0000	GS: LT-P1	RC: None	NANO: NO	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 2.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNING	iS:		
CANCER	US CDC - Occupationa	US CDC - Occupational Carcinogens		1
CANCER	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route	

Superior Essex 4-Pair Plenum Copper Cable: 10Gain XP Category 6A hpdrepository.hpd-collaborative.org

CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	МАК	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 1.5000	GS: BM-3	RC: None	NANO: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 1.0000	GS: LT-P1	RC: None	NANO: NO	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 1.0000	GS: BM-3	RC: None	NANO: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

GS: LT-1	RC: None	NANO: NO	ROLE: Additive
AGENCY(IES) WITH WARNINGS	:		
US CDC - Occupational Carcinogens		Occupational Carcinogen	
CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route	
IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources	
МАК		Carcinogen Group 3B - Evidence of carcinogenic effects b sufficient for classification	
	AGENCY(IES) WITH WARNINGS US CDC - Occupational CA EPA - Prop 65 IARC	AGENCY(IES) WITH WARNINGS: US CDC - Occupational Carcinogens CA EPA - Prop 65 IARC	AGENCY(IES) WITH WARNINGS: US CDC - Occupational Carcinogens Occupational Carcinogen CA EPA - Prop 65 Carcinogen - specific to ch IARC Group 2B - Possibly carcino occupational sources MAK Carcinogen Group 3B - Ex

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

0.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Filler
HAZARDS:	AGENCY(IES) WITH WARNIN	GS:		
None Found	No warnings found or	HPD Priority lists		
SUBSTANCE NOTES: This substa	nce is considered proprieta	y by the supplier; however, t	he percentage and health h	azards are disclosed.
LAME RETARDANT 1				ID: Undisclos

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

FLAME RETARDANT 2				ID: Undisclosed
%: 0.0000 - 5.0000	GS: BM-1	RC: None	NANO: No	ROLE: Flame Retardant
HAZARDS:	AGENCY(IES) WITH W	/ARNINGS:		
ACUTE AQUATIC	EU - R-phrases		R50 - Ve	ry Toxic to Aquatic Organisms
RESPIRATORY	AOEC - Asthma	gens	Asthmag	en (ARs) - sensitizer-induced - inhalable forms only
ACUTE AQUATIC	EU - GHS (H-Sta	atements)	H400 - V	ery toxic to aquatic life M = 1000000
CHRON AQUATIC	EU - GHS (H-Sta	atements)	H410 - V	ery toxic to aquatic life with long lasting effects
RESTRICTED LIST	German FEA - S	Substances Hazardous to Wa	aters Class 2 -	Hazard to Waters

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

ID: Undisclosed %: 0.0000 - 5.0000 GS: NoGS RC: None NANO: No ROLE: Flame Retardant HAZARDS: AGENCY(IES) WITH WARNINGS: Image: Colspan="4">Colspan="4"Colspan="4">Colspan="4"Colspan="4

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

0.0000 - 5.0000	GS: LT-P1	RC: None	NANO: NO	ROLE: Functional Filler
HAZARDS:	AGENCY(IES) WITH W	'ARNINGS:		
None Found	No warnings four	nd on HPD Priority lists		
SUBSTANCE NOTES: This sub	stance is considered prop	rietary by the supplier;	however, the percenta	ge and health hazards are disclosed.

FEP WIRE INSULATION 2	%: 22.0300	HPD URL:
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Ye	es

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm.

Superior Essex 4-Pair Plenum Copper Cable: 10Gain XP Category 6A hpdrepository.hpd-collaborative.org

Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE (1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE)				ID: 25067-11-2
%: 100.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Insulation
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			
SUBSTANCE NOTES:				

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES CONSIDERED: N	0

RESIDUALS AND IMPURITIES NOTES: Residuals are not considered; proprietary additives are used in the manufacturing of this material and should be fully consumed in the process.

%·11 9570

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

CROSS WEB SEPARATOR 1

1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE (1-PROPENE,	ID: 25067-11-2
1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE)	

%: 100.0000	GS: LT-UNK	^{RC:} None	NANO: No	ROLE: Cross web separator
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			
SUBSTANCE NOTES:				

TAPE SHIELD 2	%: 6.9500	HPD URL:
product threshold: 1000 ppm	RESIDUALS AND IMPURITIES CONSIDERED: ${\sf Y}$	es

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

ALUMINUM (ALUMINUM)					ID: 7429-90-5
%: 50.0000	GS: LT-P1	RC: None	NANO: NO	ROLE: Substrate	

Superior Essex 4-Pair Plenum Copper Cable: 10Gain XP Category 6A hpdrepository.hpd-collaborative.org

HPD URI ·

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
RESPIRATORY	AOEC - Asthmagens	Asthmagen (ARs) - sensitizer-induced - inhalable forms only
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H228 - Flammable solid
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases

SUBSTANCE NOTES:

POLYETHYLENE TEREPHTHALATE (PET) (POLYETHYLENE TEREPHTHALATE (PET))				ID: 25038-
6: 49.5000	GS: LT-UNK	RC: None	NANO: No	ROLE: Substrate
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	N/A		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE:0000-01- 01	EXPIRY DATE:	CERTIFIER OR LAB: None
CERTIFICATION AND COMPLIANCE NOTES:			
LCA	Environmental Prod	uct Declaration	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Hoisington, KS, USA CERTIFICATE URL: http://ce.superioressex.com/about/environmental/	ISSUE DATE:2014-06- 06	EXPIRY DATE: 2019- 06-06	CERTIFIER OR LAB: UL Environment
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Hoisington, KS, USA CERTIFICATE URL:	ISSUE DATE:2014-06-	EXPIRY DATE: 2019-	CERTIFIER OR LAB: U

General Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or

Superior Essex 4-Pair Plenum Copper Cable: 10Gain XP Category 6A hpdrepository.hpd-collaborative.org

fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

POLYESTER PULL STRING

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Installers use wire pulling string as a safe means of pulling wire and cable in the installation. When using proper pulling string, it is possible to install cable without harming the installer or the product.

Section 5: General Notes

This Health Product Declaration was prepared by Sustainable Solutions Corporation of Royersford, Pennsylvania on behalf of Superior Essex.

Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: Superior Essex ADDRESS: 6120 Powers Ferry Road Suite 150 Atlanta GA 30339, USA WEBSITE: http://ce.superioressex.com/ CONTACT NAME: Steve Born TITLE: Sr. Applications Engineer, LEED AP BD+C PHONE: 770-657-6000 EMAIL: steve.born@spsx.com

KEY

OSHA MSDSOccupational Safety and Health Administration Material Safety Data SheetGHS SDSGlobally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic PHY Physical Hazard (reactive)
REP Reproductive toxicity
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
LAN Land Toxicity
NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspeci ed (insu cient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown Superior Essex 4-Pair Plenum Copper Cable: 10Gain XP Category 6A hpdrepository.hpd-collaborative.org LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists) None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per produc

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.