Superior Essex 4-Pair Riser Copper Cable: 10Gain XP Category 6A by Superior Essex

Health Product Declaration v2.1

created via: HPDC Online Builder

CLASSIFICATION: 27 10 00.00 Communications: Structured Cabling

PRODUCT DESCRIPTION: This HPD covers the Superior Essex 4-Pair riser 10Gain XP Category 6A copper cable. 10Gain® XP is the first Category 6A cable without a continuous shield to offer 7 dB margin over Alien Crosstalk (AXT) performance requirements in ANSI/TIA-568-C.2. Its uniquely designed Isolation Wrap contains discontinuous sections of metallized material, held in place by a polymeric layer. 10Gain XP has a nominal 0.265 (CMP) or 0.275" (CMR) diameter that allows for higher cable density than other CAT 6A cable products. 10Gain XP is ideal for PoE applications requiring higher levels of current and simultaneously up to 10 Gigabit Ethernet. 10Gain XP is certified for HD A/V applications using HDBaseT Class A and B protocol.



Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- C Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- C 100 ppm
- **⊙** 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- C Other

Residuals/Impurities

Residuals/Impurities

Considered in 6 of 6 Materials

Explanation(s) provided

for Residuals/Impurities?

Yes No

Are All Substances Above the Threshold Indicated:

Characterized

Yes ○ No

Percent Weight and Role Provided?

Screened

Yes ○ No

Using Priority Hazard Lists with Results Disclosed?

Identified

C Yes O No

Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ELECTRICAL CONDUCTOR [COPPER (COPPER) LT-UNK] RISER INSULATION 3 [1-HEXENE, POLYMER WITH ETHENE (1-HEXENE, POLYMER WITH ETHENE) LT-UNK UNDISCLOSED LT-P1 UNDISCLOSED LT-UNK] TAPE SHIELD 2 [ALUMINUM (ALUMINUM) LT-P1 | RES | END | PHY POLYETHYLENE TEREPHTHALATE (PET) (POLYETHYLENE TEREPHTHALATE (PET)) LT-UNK] TAPE SEPARATOR [POLYPROPYLENE (POLYPROPYLENE) LT-UNK ETHYLENE-PROPYLENE COPOLYMER (ETHYLENE-PROPYLENE COPOLYMER) LT-UNK] RISER JACKET 2 [UNDISCLOSED LT-P1 | RES UNDISCLOSED BM-2 | RES UNDISCLOSED LT-P1 | END UNDISCLOSED BM-2 | PBT | END | MUL UNDISCLOSED BM-1 | MAM | AQU | CAN | MUL UNDISCLOSED BM-1 | MUL UNDISCLOSED LT-1 | CAN | DEL | MUL | END | REP UNDISCLOSED LT-UNK UNDISCLOSED LT-1 END | PBT | AQU | DEL | MUL | CAN UNDISCLOSED BM-3 UNDISCLOSED LT-P1 | RES UNDISCLOSED LT-UNK UNDISCLOSED NoGS UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | END UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | END UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 UNDISCLOSED LT-UNK] RISER JACKET 3 [UNDISCLOSED LT-P1 | RES UNDISCLOSED BM-2 | RES UNDISCLOSED LT-UNK UNDISCLOSED BM-3 UNDISCLOSED BM-2 | PBT | END | MUL UNDISCLOSED BM-1 | MUL UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | MAM | AQU | CAN | MUL UNDISCLOSED NoGS UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN | Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

All substances in this HPD have been screened using Priority Hazard Lists with results disclosed.

Superior Essex 4-Pair Riser Copper Cable: 10Gain XP Category 6A hpdrepository.hpd-collaborative.org

END UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | MUL]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

LCA: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

PREPARER: Self-Prepared

C Yes
No

VERIFICATION #:

SCREENING DATE: 2017-12-05
PUBLISHED DATE: 2018-03-23

EXPIRY DATE: 2020-12-05



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

ELECTRICAL CONDUCTOR

%: 43.1790

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

COPPER (COPPER)							
%: 100.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Conductor			
HAZARDS:	AGENCY(IES) WITH WARNIN	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found	No warnings found on HPD Priority lists					
SUBSTANCE NOTES:							

RISER INSULATION 3 %: 17.0690 **HPD URL:**

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

other material notes: All substances including residuals are disclosed to 1,000 ppm.

1-HEXENE, POLYMER WITH ETHENE (1-HEXENE, POLYMER WITH ETHENE)

ID: 25213-02-9

%: 99.3900	GS: LT-UNK	RC: None	nano: No	ROLE: Wire Insulation
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES:

%: 0.3800	GS: LT-P1	RC: None	NANO: No	ROLE: Antioxidant			
HAZARDS:	AGENCY(IES) WITH WAR	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found	No warnings found on HPD Priority lists					
SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.							

%: 0.2300	GS: LT-UNK	RC: None	nano: No	ROLE: Stabilizer		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Priority lists					

TAPE SHIELD 2 %: 8.1130 HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

ALUMINUM (ALUMINUM)						
%: 50.0000	GS: LT-P1	RC: None	nano: No	ROLE: Substrate		
HAZARDS:	AGENCY(IES) WITH WARNIN	NGS:				
RESPIRATORY	AOEC - Asthmagens		Asthmagen (ARs) - sensitizer-induced - inhalable forms only			
ENDOCRINE	TEDX - Potential En	TEDX - Potential Endocrine Disruptors		e Disruptor		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Staten	EU - GHS (H-Statements)		solid		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Staten	nents)	H250 - Catches fire	e spontaneously if exposed to air		

SUBSTANCE NOTES:

PHYSICAL HAZARD (REACTIVE)

POLYETHYLENE TEREPHTHALATE (PET) (POLYETHYLENE TEREPHTHALATE (PET))

EU - GHS (H-Statements)

ID: 25038-59-9

%: 49.5000 GS: LT-UNK RC: None NANO: No ROLE: Substrate

HAZARDS: AGENCY(IES) WITH WARNINGS:

H261 - In contact with water releases flammable gases

SUBSTANCE NOTES:

TAPE SEPARATOR %: 2.8420 HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

POLYPROPYLENE (POLYPROPYLENE) %: 85.0000 - 100.0000 GS: LT-UNK RC: None NANO: No ROLE: Tape HAZARDS: None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: Substance ranges based on supplier documentation.

ETHYLENE-PROPYLENE COPOLYMER (ETHYLENE-PROPYLENE COPOLYMER)

ID: 9010-79-1

%: 0.0000 - 12.0000 GS: LT-UNK

RC: None NANO: No

ROLE: Adhesive

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Substance ranges based on supplier documentation.

RISER JACKET 2

%: 0.0000 - 28.7910

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: Alternate to Riser Jacket 3. All substances including residuals are disclosed to 1,000 ppm.

%: **24.0000 - 47.0000** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Polymer**

HAZARDS: AGENCY(IES) WITH WARNINGS:

%: 20.0000 - 40.0000	GS: BM-2	RC: None	nano: No	ROLE: Flame Retardant		
HAZARDS:	AGENCY(IES) WITH W	AGENCY(IES) WITH WARNINGS:				
RESPIRATORY	AOEC - Asthma	AOEC - Asthmagens		en (ARs) - sensitizer-induced - inhalable forms		

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 5.0000 - 10.0000	GS: LT-P1	RC: None	NANO: No	ROLE: Plasticizer
HAZARDS:	AGENCY(IES) WITH WARNINGS			
ENDOCRINE	ChemSec - SIN List		Endocrine Disruption	

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 5.0000 - 10.0000	GS: BM-2	RC: None	nano: No	ROLE: Plasticizer
HAZARDS:	AGENCY(IES) WITH WARNINGS	S:		
PBT	OSPAR - Priority PBTs concern	s & EDs & equivalent	PBT - Chemical for Pr	riority Action
ENDOCRINE	OSPAR - Priority PBTs	s & EDs & equivalent	Endocrine Disruptor -	Chemical for Priority Action
PBT	EU - ESIS PBT		Fulfills PBT Criteria - A	Action Deferred
PBT	ChemSec - SIN List		PBT / vPvB (Persister Persistent & very Bios	nt, Bioaccumulative, & Toxic / very accumulative)
MULTIPLE	German FEA - Substa Waters	nces Hazardous to	Class 2 - Hazard to W	/aters
PBT	EHP - San Antonio Sta	atement on BFRs & CFRs	Flame retardant subsi	tance class of concern for PB&T &
RESTRICTED LIST	US EPA - PPT Chemic	cal Action Plans	TSCA Work Plan cher assessment	nical - ongoing chemical (risk)

%: 1.0000 - 5.0000	GS: BM-1	RC: None	nano: No	ROLE: Flame Retardant		
HAZARDS:	AGENCY(IES) WITH WARN	NINGS:				
MAMMALIAN	EU - R-phrases		R20 - Harmful by Inhalation (gas or vapor or dust/mist)			
MAMMALIAN	EU - R-phrases		R22 - Harr	nful if Swallowed		
ACUTE AQUATIC	EU - R-phrases	EU - R-phrases		c to Aquatic Organisms		
CANCER	IARC	IARC		Group 2b - Possibly carcinogenic to humans		
CANCER	CA EPA - Prop 65	CA EPA - Prop 65		n		
CHRON AQUATIC	EU - GHS (H-State	ments)	H411 - Tox	xic to aquatic life with long lasting effects		
CANCER	EU - GHS (H-State	ments)	H351 - Sus	spected of causing cancer		
MULTIPLE	ChemSec - SIN Lis	st	CMR - Car	rcinogen, Mutagen &/or Reproductive Toxicant		
CANCER	MAK		Carcinoge man	n Group 2 - Considered to be carcinogenic for		
CANCER	Japan - GHS		Carcinoge	nicity - Category 1B		

%: 1.0000 - 5.0000	GS: BM-1	RC: None	nano: No	ROLE: Char Former		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazaro	I to Waters		

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 0.1000 - 5.0000	gs: LT-1	RC: None	nano: No	ROLE: Plasticizer		
HAZARDS:	AGENCY(IES) WITH W.	ARNINGS:				
CANCER	CA EPA - Prop (CA EPA - Prop 65		Carcinogen		
DEVELOPMENTAL	US NIH - Repro Monographs	US NIH - Reproductive & Developmental Monographs		Some Evidence of Adverse Effects - Developmental Toxicity		
RESTRICTED LIST	US EPA - PPT C	US EPA - PPT Chemical Action Plans		EPA Chemical of Concern - Action Plan published		
ENDOCRINE	ChemSec - SIN	ChemSec - SIN List		ruption		
ENDOCRINE	TEDX - Potentia	TEDX - Potential Endocrine Disruptors		crine Disruptor		
REPRODUCTIVE	US EPA - PPT Chemical Action Plans		Reproductive	effects		

%: 0.1000 - 5.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Lubricant	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

: 0.1000 - 5.0000	GS: LT-1 R	c: None	nano: No	ROLE: Plasticizer	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
ENDOCRINE	EU - Priority Endocrine	Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity		
PBT	EU - ESIS PBT		Under PBT evalu	uation	
PBT	EC - CEPA DSL			ccumulative and inherently Toxic (PBiTE) to (based on aquatic organisms)	
ACUTE AQUATIC	EU - GHS (H-Statement	s)	H400 - Very toxic to aquatic life		
CHRON AQUATIC	EU - GHS (H-Statement	EU - GHS (H-Statements)		H410 - Very toxic to aquatic life with long lasting effects	
DEVELOPMENTAL	EU - GHS (H-Statement	s)	H362 - May cause harm to breast-fed children		
MULTIPLE	German FEA - Substanc Waters	German FEA - Substances Hazardous to Waters		to Waters	
PBT	EHP - San Antonio State	EHP - San Antonio Statement on BFRs & CFRs		substance class of concern for PB&T & port	
CHRON AQUATIC	US EPA - PPT Chemical	Action Plans	Highly toxic to aquatic organisms		
RESTRICTED LIST	US EPA - PPT Chemical	US EPA - PPT Chemical Action Plans		chemical - ongoing chemical (risk)	
CANCER	MAK	MAK		up 3B - Evidence of carcinogenic effects t for classification	
DEVELOPMENTAL	Australia - GHS		H362 - May caus	se harm to breast-fed children	

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 0.1000 - 0.5000	gs: BM-3	RC: None	nano: No	ROLE: Filler		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Priority lists					

%: 0.0100 - 5.0000	gs: LT-P1	RC: None	NANO: No	ROLE: Thermal Stabilizer
HAZARDS:	AGENCY(IES) WITH WAI	RNINGS:		
RESPIRATORY	AOEC - Asthmag	ens	Asthmager only	n (ARs) - sensitizer-induced - inhalable forms
SUBSTANCE NOTES: This substar	nce is considered pro	prietary by the supp	olier; however, the pe	ercentage and health hazards are disclosed.
%: 0.0100 - 1.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Thermal Stabilizer
HAZARDS:	AGENCY(IES) WITH WAI	RNINGS:		
None Found	No warnings four	nd on HPD Priority list	ts	
SUBSTANCE NOTES: This substar	nce is considered pro	prietary by the supp	olier; however, the pe	ercentage and health hazards are disclosed.
%: 0.0000 - 1.0000	gs: NoGS	RC: None	nano: No	ROLE: Lubricant
HAZARDS:	AGENCY(IES) WITH WAI	RNINGS:		
None Found	No warnings four	nd on HPD Priority list	ts	
SUBSTANCE NOTES: This substar	nce is considered pro	prietary by the supp	olier; however, the pe	ercentage and health hazards are disclosed.
ı				
%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: N	o ROLE: Lubricant
HAZARDS:	AGENCY(IES) WITH WAI	RNINGS:		
None Found	No warnings four	nd on HPD Priority list	rs	
SUBSTANCE NOTES: This substar	nce is considered pro	prietary by the supp	olier; however, the pe	ercentage and health hazards are disclosed.
%: 0.0000 - 1.5000	GS: LT-P1	RC: None	nano: No	ROLE: Lubricant
HAZARDS:	AGENCY(IES) WITH WAI	RNINGS:		
ENDOCRINE	TEDX - Potential	Endocrine Disruptors	Potential E	indocrine Disruptor
SUBSTANCE NOTES: This substar	nce is considered pro	prietary by the supp	olier; however, the pe	ercentage and health hazards are disclosed.
%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Thermal Stabilizer

HAZARDS: AGENCY(IES) WITH WARNINGS: None Found No warnings found on HPD Priority lists SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed. %: 0.0000 - 1.0000 GS: LT-P1 ROLE: Lubricant RC: None NANO: No HAZARDS: AGENCY(IES) WITH WARNINGS: **ENDOCRINE TEDX - Potential Endocrine Disruptors** Potential Endocrine Disruptor SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed. %: 0.0000 - 1.0000 GS: LT-UNK RC: None **ROLE: Thermal Stabilizer** NANO: No HAZARDS: AGENCY(IES) WITH WARNINGS: None Found No warnings found on HPD Priority lists SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed. %: 0.0000 - 1.0000 GS: LT-P1 RC: None NANO: No ROLE: Thermal Stabilizer HAZARDS: AGENCY(IES) WITH WARNINGS: None Found No warnings found on HPD Priority lists SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed. %: 0.0000 - 0.5000 GS: LT-UNK ROLE: Antioxidant **BC:** None NANO: No HAZARDS: AGENCY(IES) WITH WARNINGS: None Found No warnings found on HPD Priority lists SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

RISER JACKET 3 %: 0.0000 - 28.7910 HPD URL:

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: Alternate to Riser Jacket 2. All substances including residuals are disclosed to 1,000 ppm.

: 38.0000 - 40.0000	GS: LT-P1	RC: None	nano: No	ROLE: Polymer
HAZARDS:	AGENCY(IES) WITH WAR	NINGS:		
RESPIRATORY	AOEC - Asthmage	ens	Asthmagen (Rs) - s	sensitizer-induced

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 26.0000 - 28.0000	GS: BM-2	RC: None	nano: No	ROLE: Flame Retardant
HAZARDS:	AGENCY(IES) WITH V	/ARNINGS:		
RESPIRATORY	AOEC - Asthma	AOEC - Asthmagens		en (ARs) - sensitizer-induced - inhalable forms

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 10.0000 - 12.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Softening Additive		
HAZARDS:	AGENCY(IES) WITH WARM	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 6.5000 - 7.5000	GS: BM-3	RC: None	nano: No	ROLE: Flame Retardant
HAZARDS:	AGENCY(IES) WITH V	VARNINGS:		
None Found	No warnings fo	und on HPD Priority lis	ts	

%: 6.0000 - 7.0000	GS: BM-2	RC: None	nano: No	ROLE: Softening Additive	
HAZARDS:	AGENCY(IES) WITH V	VARNINGS:			
PBT	OSPAR - Priori	tv PBTs & EDs & equiv	valent PBT - C	hemical for Priority Action	

OSPAR - Priority PBTs & EDs & equivalent PBT - Chemical for Priority Actio

concern

ENDOCRINE	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Chemical for Priority Action
PBT	EU - ESIS PBT	Fulfills PBT Criteria - Action Deferred
РВТ	ChemSec - SIN List	PBT / vPvB (Persistent, Bioaccumulative, & Toxic / very Persistent & very Bioaccumulative)
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
РВТ	EHP - San Antonio Statement on BFRs & CFRs	Flame retardant substance class of concern for PB&T & long range transport
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - ongoing chemical (risk) assessment

%: 2.0000 - 3.0000	GS: BM-1	RC: None	NANO: No	ROLE: Flame Retardant
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Haza	ard to Waters

%: 0.5100 - 0.8500	GS: LT-UNK	RC: None	nano: No	ROLE: Stabilizer		
HAZARDS:	AGENCY(IES) WITH WARNIN	IGS:				
None Found	No warnings found of	No warnings found on HPD Priority lists				
SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.						

%: 0.5000 - 1.5000 GS: BM-1 RC: None NANO: No ROLE: Flame Retardant AGENCY(IES) WITH WARNINGS: MAMMALIAN EU - R-phrases R20 - Harmful by Inhalation (gas or vapor or dust/mi MAMMALIAN EU - R-phrases R22 - Harmful if Swallowed ACUTE AQUATIC EU - R-phrases R51 - Toxic to Aquatic Organisms CANCER IARC Group 2b - Possibly carcinogenic to humans CANCER CA EPA - Prop 65 Carcinogen CHRON AQUATIC EU - GHS (H-Statements) H411 - Toxic to aquatic life with long lasting effects						
MAMMALIAN EU - R-phrases R20 - Harmful by Inhalation (gas or vapor or dust/mine) MAMMALIAN EU - R-phrases R22 - Harmful if Swallowed ACUTE AQUATIC EU - R-phrases R51 - Toxic to Aquatic Organisms CANCER IARC Group 2b - Possibly carcinogenic to humans CANCER CA EPA - Prop 65 Carcinogen	%: 0.5000 - 1.5000	GS: BM-1	RC: None	nano: No	ROLE: Flame Retardant	
MAMMALIAN EU - R-phrases R22 - Harmful if Swallowed ACUTE AQUATIC EU - R-phrases R51 - Toxic to Aquatic Organisms CANCER IARC Group 2b - Possibly carcinogenic to humans CANCER CA EPA - Prop 65 Carcinogen	HAZARDS:	AGENCY(IES) WITH WARNI	INGS:			
ACUTE AQUATIC EU - R-phrases R51 - Toxic to Aquatic Organisms CANCER IARC Group 2b - Possibly carcinogenic to humans CANCER CA EPA - Prop 65 Carcinogen	MAMMALIAN	EU - R-phrases		R20 - Harı	mful by Inhalation (gas or vapor or dust/mist)	
CANCER IARC Group 2b - Possibly carcinogenic to humans CANCER CA EPA - Prop 65 Carcinogen	MAMMALIAN	EU - R-phrases		R22 - Harmful if Swallowed		
CANCER CA EPA - Prop 65 Carcinogen	ACUTE AQUATIC	EU - R-phrases		R51 - Toxic to Aquatic Organisms		
	CANCER	IARC		Group 2b	- Possibly carcinogenic to humans	
CHRON AQUATIC EU - GHS (H-Statements) H411 - Toxic to aquatic life with long lasting effects	CANCER	CA EPA - Prop 65		Carcinogen		
	CHRON AQUATIC	EU - GHS (H-Stater	ments)	H411 - Toxic to aquatic life with long lasting effe		

CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CANCER	Japan - GHS	Carcinogenicity - Category 1B

%: 0.5000 - 1.0000	GS: NoGS	RC: None	nano: No	ROLE: Smoke Suppressant
HAZARDS:	AGENCY(IES) WITH W	/ARNINGS:		
None Found	No warnings fo	und on HPD Priority	lists	

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 0.4700 - 0.7900	gs: LT-UNK	RC: None	nano: No	ROLE: Stabilizer
HAZARDS:	AGENCY(IES) WITH WARNIN	GS:		
None Found	No warnings found of	on HPD Priority lists		

 ${\tt SUBSTANCE\ NOTES:}\ This\ substance\ is\ considered\ proprietary\ by\ the\ supplier;\ however,\ the\ percentage\ and\ health\ hazards\ are\ disclosed.$

%: 0.2000 - 0.3000	GS: LT-1	RC: None	nano: No	ROLE: Colorant
HAZARDS:	AGENCY(IES) WITH WARNIN	IGS:		
CANCER	US CDC - Occupation	onal Carcinogens	Occupational Carcino	gen
CANCER	CA EPA - Prop 65		Carcinogen - specific	to chemical form or exposure route
CANCER	IARC		Group 2B - Possibly coccupational sources	arcinogenic to humans - inhaled from
ENDOCRINE	TEDX - Potential End	docrine Disruptors	Potential Endocrine D	isruptor
CANCER	MAK		•	- Evidence of carcinogenic effects stablish MAK/BAT value

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 0.1800 - 0.3000 GS: LT-UNK RC: None NANO: No ROLE: Stabilizer

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

%: 0.1500 - 0.2500	GS: LT-P1	RC: None	nano: No	ROLE: Stabilizer
HAZARDS:	AGENCY(IES) WITH WARNING	GS:		
RESTRICTED LIST	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

CERTIFYING PARTY: Self-declared

ISSUE DATE: 0000-

EXPIRY DATE:

CERTIFIER OR LAB: None

APPLICABLE FACILITIES: All

01-01

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

LCA

Environmental Product Declaration

CERTIFYING PARTY: Third Party

ISSUE DATE: 2014-

EXPIRY DATE: 2019-

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: Hoisington, KS, USA

06-06

06-06

Environment

CERTIFICATE URL:

http://ce.superioressex.com/about/environmental/

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

POLYESTER PULL STRING

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Installers use wire pulling string as a safe means of pulling wire and cable in the installation. When using proper pulling string, it is possible to install cable without harming the installer or the product.



Section 5: General Notes

This Health Product Declaration was prepared by Sustainable Solutions Corporation of Royersford, Pennsylvania on behalf of Superior Essex.

MANUFACTURER INFORMATION

MANUFACTURER: Superior Essex

ADDRESS: 6120 Powers Ferry Road Suite 150

Atlanta GA 30339, USA

WEBSITE: http://ce.superioressex.com/

CONTACT NAME: Steve Born

TITLE: Sr. Applications Engineer, LEED AP BD+C

PHONE: **770-657-6000**

EMAIL: steve.born@spsx.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.