Superior Essex 4-Pair Plenum Copper Cable: Category 6 by Superior Essex

Health Product Declaration v2.1

CLASSIFICATION: 27 10 00.00 Communications: Structured Cabling

created via: HPDC Online Builder

PRODUCT DESCRIPTION: This HPD covers the Superior Essex 4-Pair plenum Category 6 copper cable. Superior Essex Series 77 product line provides exceptional value for jobs that require standards compliant Category 6 cable at a cost-effective price. While Series 77 cable meets all of the ANSI/TIA-568-C.2 specifications, it also offers other features that make it easier to use, save on installation time and expense and ensure product quality during the installation. From the QuickCount feature, which marks the exact cable remaining in the box, to the WideMouth payout design, which reduces tension on the wire as it is pulled during installation, Series 77 cable provides more overall value than any other CAT 6 product available today.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

nventory Reporting Format	Threshold level	Residuals/Impurities	Are All Substances Above the Threshold Indicated:		
Nested Materials Method Basic Method	○ 100 ppm○ 1,000 ppm	Residuals/Impurities Considered in 3 of 3 Materials	Characterized Percent Weight and Role Provided?	• Yes • No	
Threshold Disclosed Per Material Product	C Per GHS SDS Per OSHA MSDS Other	Explanation(s) provided for Residuals/Impurities? • Yes • No	Screened Using Priority Hazard Lists with Results Disclosed?	• Yes • No	
			Identified Name and Identifier Provided?	C Yes O No	

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

ELECTRICAL CONDUCTOR [COPPER (COPPER) LT-UNK] PLENUM JACKET 3 [UNDISCLOSED LT-P1 | RES UNDISCLOSED BM-2 | RES UNDISCLOSED LT-1 | CAN UNDISCLOSED BM-2 | PBT | END | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK | SKI UNDISCLOSED BM-1 | MAM | AQU | CAN | MUL UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | MUL UNDISCLOSED LT-P1 | END UNDISCLOSED LT-P1 UNDISCLOSED LT-1 | CAN | END UNDISCLOSED BM-3 UNDISCLOSED LT-P1 UNDISCLOSED LT-UNK UNDISCLOSED BM-3 UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN FUNCTIONAL FILLER 1 LT-UNK FLAME RETARDANT 1 BM-3 FLAME RETARDANT 2 BM-1 | AQU | RES | MUL FLAME RETARDANT 3 NoGS FUNCTIONAL FILLER 2 LT-P1 | FEP WIRE INSULATION 2 [1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE (1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE) LT-UNK]

Number of Greenscreen BM-4/BM3 contents....... 3 Contents highest concern GreenScreen Benchmark or List translator Score..... BM-1 Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

All substances in this HPD have been screened using Priority Hazard Lists with results disclosed.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

LCA: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

PREPARER: Self-Prepared

VERIFIER: C Yes

VERIFICATION #:

No

SCREENING DATE: 2018-02-08 PUBLISHED DATE: 2018-02-28 EXPIRY DATE: 2021-02-08

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- · Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

ELECTRICAL CONDUCTOR

%: 50.8700

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

COPPER (COPPER)					ID: 7440-50-8		
%: 100.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Conductor			
HAZARDS:	AGENCY(IES) WITH WARNIN	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found or	No warnings found on HPD Priority lists					
SUBSTANCE NOTES:							

PLENUM JACKET 3 %: 27.6430 HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

UNDISCLOSED

%: 30.0000 - 40.0000	GS: LT-P1	RC: None	nano: No	ROLE: Polymer
HAZARDS:	AGENCY(IES) WITH WARNINGS	S:		
RESPIRATORY	AOEC - Asthmagens	AOEC - Asthmagens		nsitizer-induced

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 15.0000 - 25.0000	GS: BM-2	RC: None	NANO: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WAR	NINGS:		
RESPIRATORY	AOEC - Asthmager	AOEC - Asthmagens		sensitizer-induced - inhalable forms only

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: Impurity/Residual	GS: LT-1	RC: None	nano: No	ROLE: Impurity/Residual		
HAZARDS:	AGENCY(IES) WITH	WARNINGS:				
CANCER	US CDC - Occ	upational Carcinogens	Occupa	ational Carcinogen		
CANCER	CA EPA - Prop	CA EPA - Prop 65		ogen - specific to chemical form or exposure route		
CANCER	IARC	IARC		Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CANCER	US NIH - Repo	US NIH - Report on Carcinogens		to be Human Carcinogen (respirable size - occupational		
CANCER	MAK		Carcino	ogen Group 1 - Substances that cause cancer in man		
CANCER	New Zealand -	GHS	6.7A - ŀ	Known or presumed human carcinogens		
CANCER	Japan - GHS	Japan - GHS		ogenicity - Category 1A		
CANCER	Australia - GHS	3	H350 -	May cause cancer		

SUBSTANCE NOTES: This substance is a residual considered proprietary by the supplier; however, the health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 10.0000	GS: BM-2	RC: None	NANO: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
PBT	OSPAR - Priority PBTs 8 concern	OSPAR - Priority PBTs & EDs & equivalent concern		ty Action
ENDOCRINE	OSPAR - Priority PBTs 8 concern	& EDs & equivalent	Endocrine Disruptor - Ch	emical for Priority Action
PBT	EU - ESIS PBT		Fulfills PBT Criteria - Acti	on Deferred
PBT	ChemSec - SIN List		PBT / vPvB (Persistent, Bioaccumulative, & Toxic / very Persistent & very Bioaccumulative)	
MULTIPLE	German FEA - Substanc	es Hazardous to Waters	Class 2 - Hazard to Water	ers
PBT	EHP - San Antonio State	ment on BFRs & CFRs	Flame retardant substand range transport	ce class of concern for PB&T & long

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 10.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Additive	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
SKIN IRRITATION	EU - GHS (H-Statements)	EU - GHS (H-Statements)		ation

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 5.0000	GS: BM-1	RC: None	nano: No	ROLE: Additive		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
MAMMALIAN	EU - R-phrases		R20 - Harmful by Inhalatio	n (gas or vapor or dust/mist)		
MAMMALIAN	EU - R-phrases		R22 - Harmful if Swallowed	d		
ACUTE AQUATIC	EU - R-phrases	EU - R-phrases		anisms		
CANCER	IARC	IARC		Group 2b - Possibly carcinogenic to humans		
CANCER	CA EPA - Prop 65	CA EPA - Prop 65				
CHRON AQUATIC	EU - GHS (H-Statements	s)	H411 - Toxic to aquatic life with long lasting effects			
CANCER	EU - GHS (H-Statements	s)	H351 - Suspected of causing cancer			
MULTIPLE	ChemSec - SIN List	ChemSec - SIN List		en &/or Reproductive Toxicant		
CANCER	MAK		Carcinogen Group 2 - Considered to be carcinogenic for man			
CANCER	Japan - GHS		Carcinogenicity - Category 1B			

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Additive		
HAZARDS:	AGENCY(IES) WITH WARNING	GS:				
None Found	No warnings found on	No warnings found on HPD Priority lists				
SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.						

UNDISCLOSED

%: 0.0000 - 2.0000	GS: BM-1	RC: None	nano: No	ROLE: Additive		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters			

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 2.0000	GS: LT-P1	RC: None	nano: No	ROLE: Additive			
HAZARDS:	AGENCY(IES) WITH WARNINGS:	AGENCY(IES) WITH WARNINGS:					
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor				

 ${\tt SUBSTANCE\ NOTES:}\ This\ substance\ is\ considered\ proprietary\ by\ the\ supplier;\ however,\ the\ percentage\ and\ health\ hazards\ are\ disclosed.$

UNDISCLOSED

%: 0.0000 - 5.0000	GS: LT-P1	RC: None	NANO: No	ROLE: Additive		
HAZARDS:	AGENCY(IES) WITH WARN	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 2.0000	gs: LT-1	RC: None	NANO: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WAR	ININGS:		
CANCER	US CDC - Occupa	US CDC - Occupational Carcinogens		inogen
CANCER	CA EPA - Prop 65	CA EPA - Prop 65		fic to chemical form or exposure route

CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 1.5000	GS: BM-3	RC: None	nano: No	ROLE: Additive	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 1.0000	GS: LT-P1	RC: None	nano: No	ROLE: Additive	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 1.0000	GS: LT-UNK	rc: None	NANO: No	ROLE: Additive		
HAZARDS:	AGENCY(IES) WITH WARNING	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 1.0000	GS: BM-3	RC: None	nano: No	ROLE: Additive		
HAZARDS:	AGENCY(IES) WITH WARN	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found	No warnings found on HPD Priority lists				

 ${\tt SUBSTANCE\ NOTES:}\ This\ substance\ is\ considered\ proprietary\ by\ the\ supplier;\ however,\ the\ percentage\ and\ health\ hazards\ are\ disclosed.$

UNDISCLOSED

%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Additive		
HAZARDS:	AGENCY(IES) WITH WARNING	GS:				
None Found	No warnings found on	No warnings found on HPD Priority lists				
SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.						

UNDISCLOSED

%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Additive		
HAZARDS:	AGENCY(IES) WITH WARNING	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 1.0000	GS: LT-1	RC: None	nano: No	ROLE: Additive	
HAZARDS:	AGENCY(IES) WITH WARNING	GS:			
CANCER	US CDC - Occupation	US CDC - Occupational Carcinogens			
CANCER	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CANCER	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
CANCER	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects be sufficient for classification		

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

FUNCTIONAL FILLER 1 ID: Undisclosed

%: 0.0000 - 5.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Filler	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

FLAME RETARDANT 1

ID: Undisclosed

%: **0.0000 - 5.0000** GS: **BM-3**

RC: None

NANO: **No**

ROLE: Flame Retardant

None Found No warnings found on HPD Priority lists

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

FLAME RETARDANT 2 ID: Undisclosed

%: 0.0000 - 5.0000	GS: BM-1	RC: None	nano: No	ROLE: Flame Retardant		
HAZARDS:	AGENCY(IES) WITH WAR	NINGS:				
ACUTE AQUATIC	EU - R-phrases		R50 - Ve	ry Toxic to Aquatic Organisms		
RESPIRATORY	AOEC - Asthmager	AOEC - Asthmagens		Asthmagen (ARs) - sensitizer-induced - inhalable forms only		
ACUTE AQUATIC	EU - GHS (H-State	EU - GHS (H-Statements)		ery toxic to aquatic life M = 1000000		
CHRON AQUATIC	EU - GHS (H-State	EU - GHS (H-Statements)		ery toxic to aquatic life with long lasting effects		
RESTRICTED LIST	German FEA - Sub	stances Hazardous to Waters	rs Class 2 - Hazard to Waters			

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

FLAME RETARDANT 3 ID: Undisclosed

%: 0.0000 - 5.0000	GS: NoGS	RC: None	nano: No	ROLE: Flame Retardant
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

FUNCTIONAL FILLER 2 ID: Undisclosed

%: 0.0000 - 5.0000	GS: LT-P1	RC: None	nano: No	ROLE: Functional Filler
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

FEP WIRE INSULATION 2

%: 21.4790

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm.

Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE (1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE)			ID: 25067-11-2	
: 100.0000	GS: LT-UNK	RC: None	NANO: No	ROLE:
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	N/A		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE:0000-01- 01	EXPIRY DATE:	CERTIFIER OR LAB: None

CERTIFICATION AND COMPLIANCE NOTES:

LCA Environmental Product Declaration

CERTIFIER OR LAB: UL Environment CERTIFYING PARTY: Third Party ISSUE DATE:2014-06-EXPIRY DATE: 2019-APPLICABLE FACILITIES: Hoisington, KS, USA 06 06-06

http://ce.superioressex.com/about/environmental/

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

POLYESTER PULL STRING

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Installers use wire pulling string as a safe means of pulling wire and cable in the installation. When using proper pulling string, it is possible to install cable without harming the installer or the product.

This Health Product Declaration was prepared by Sustainable Solutions Corporation of Royersford, Pennsylvania on behalf of Superior Essex.



Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: Superior Essex

ADDRESS: 6120 Powers Ferry Road Suite 150

Atlanta GA 30339, USA

WEBSITE: http://ce.superioressex.com/

CONTACT NAME: Steve Born

TITLE: Sr. Applications Engineer, LEED AP BD+C

PHONE: **770-657-6000**

EMAIL: steve.born@spsx.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity **GLO** Global warming PHY Physical Hazard (reactive) **REP** Reproductive toxicity **CAN** Cancer MAM Mammalian/systemic/organ toxicity

DEV Developmental toxicity **MUL** Multiple hazards **RES** Respiratory sensitization **END** Endocrine activity SKI Skin sensitization/irritation/corrosivity **NEU** Neurotoxicity

EYE Eye irritation/corrosivity **OZO** Ozone depletion **LAN** Land Toxicity

GEN Gene mutation **PBT** Persistent Bioaccumulative Toxic NF Not found on Priority Hazard Lists

GreenScreen (GS)

LT-P1 List Translator Possible Benchmark 1 **BM-4** Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement) LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern) from List Translator lists to benchmark)

BM-U Benchmark Unspeci ed (insu cient data to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per produc

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC **Preparer** Third party preparer, if not self-prepared by manufacturer **Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.