Superior Essex 4-Pair Riser Copper Cable: Category 6+ ScTP (F/UTP) by Superior Essex

Health Product Declaration v2.1

created via: HPDC Online Builder

CLASSIFICATION: 27 10 00.00 Communications: Structured Cabling

PRODUCT DESCRIPTION: This HPD covers the Superior Essex 4-Pair riser Category 6+ ScTP (F/UTP) coppr cable. Category 6+ F/UTP (ScTP) cable, with guaranteed performance out to 500 MHz, exceeds ANSI/TIA-568-C.2 for CAT 6 cables. The cable is UL Verified CAT 6 and has a typical Alien Crosstalk margin of 18 dB. The cable can be used for 10GBASE-T applications for up to 55 meters per ANSI/TIA/EIA-TSB-155. The cable consists of four (4) balanced 23 AWG copper pairs around a flame retardant cross-web. The core is wrapped with a Mylar backed aluminum foil. A drain wire is applied longitudinally against the tape. The cable is then protected with a flexible riser or plenum rated PVC jacket. Standard features include ColorTip circuit identification system and QuickCount length marking system measured in both feet and meters.



Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

C Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

C 100 ppm

1,000 ppm

Per GHS SDS Per OSHA MSDS

C Other

Residuals/Impurities

Residuals/Impurities Considered in 7 of 7 Materials

Explanation(s) provided for Residuals/Impurities?

• Yes • No

Are All Substances Above the Threshold Indicated:

Characterized

Yes ○ No

Percent Weight and Role Provided?

Screened

Yes ○ No.

Using Priority Hazard Lists with Results Disclosed?

Identified

O Yes O No

Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ELECTRICAL CONDUCTOR [COPPER (COPPER) LT-UNK] RISER **INSULATION 3 [1-HEXENE, POLYMER WITH ETHENE (1-HEXENE,** POLYMER WITH ETHENE) LT-UNK UNDISCLOSED LT-P1 UNDISCLOSED LT-UNK] ALUMINUM SHIELD [ALUMINUM (ALUMINUM) LT-P1 | RES | END | PHY SILICON (SILICON) LT-UNK MAGNESIUM (MAGNESIUM) LT-UNK | PHY MANGANESE (MANGANESE) LT-P1 | END | MUL | REP NICKEL (NICKEL) LT-1 | CAN | RES | SKI | MAM | MUL COPPER (COPPER) LT-UNK IRON (IRON) LT-P1 | END] TIN COATED DRAIN WIRE [COPPER (COPPER) LT-UNK TIN (TIN) LT-P1] TAPE SEPARATOR [POLYPROPYLENE (POLYPROPYLENE) LT-UNK ETHYLENE-PROPYLENE COPOLYMER (ETHYLENE-PROPYLENE COPOLYMER) LT-UNK] RISER JACKET 2 [UNDISCLOSED LT-P1 | RES UNDISCLOSED BM-2 | RES UNDISCLOSED LT-P1 | END UNDISCLOSED BM-2 | PBT | END | MUL UNDISCLOSED BM-1 | MAM | AQU | CAN | MUL UNDISCLOSED BM-1 | MUL UNDISCLOSED LT-1 | CAN | DEL | MUL | END | REP UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | END | PBT | AQU | DEL | MUL | CAN UNDISCLOSED BM-3 UNDISCLOSED LT-P1 | RES UNDISCLOSED LT-UNK UNDISCLOSED NoGS UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | END UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | END UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 UNDISCLOSED LT-UNK] RISER JACKET 3 [UNDISCLOSED LT-P1 | RES UNDISCLOSED BM-2 | RES UNDISCLOSED LT-UNK UNDISCLOSED BM-3

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

All substances in this HPD have been screened using Priority Hazard Lists with results disclosed.

Superior Essex 4-Pair Riser Copper Cable: Category 6+ ScTP (F/UTP) hpdrepository.hpd-collaborative.org

UNDISCLOSED BM-2 | PBT | END | MUL UNDISCLOSED BM-1 | MUL UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | MAM | AQU | CAN | MUL UNDISCLOSED NoGS UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN | END UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | MUL]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

LCA: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

PREPARER: Self-Prepared

C Yes
No

VERIFIER: VERIFICATION #: SCREENING DATE: 2017-12-05 PUBLISHED DATE: 2018-03-23 EXPIRY DATE: 2020-12-05



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

ELECTRICAL CONDUCTOR

%: 38.8930

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

other material notes: Material range varies based on product recipe. All substances including residuals are disclosed to 1,000 ppm.

COPPER (COPPER)				ID: 7	440-50-8
%: 100.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Conductor	
HAZARDS:	AGENCY(IES) WITH WARNIN	NGS:			
None Found	No warnings found	on HPD Priority lists			
SUBSTANCE NOTES:					

RISER INSULATION 3 %: 23.5680 **HPD URL:**

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

other material notes: All substances including residuals are disclosed to 1,000 ppm.

1-HEXENE, POLYMER WITH ETHENE (1-HEXENE, POLYMER WITH ETHENE) ID: 25213-02-9 %: 99.3900 GS: LT-UNK ROLE: Wire Insulation **RC:** None NANO: NO AGENCY(IES) WITH WARNINGS: None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES:

%: 0.3800	GS: LT-P1 RC: None NANO: No ROLE: Antioxidant					
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Priority lists					

%: 0.2300	GS: LT-UNK	RC: None	nano: No	ROLE: Stabilizer			
HAZARDS:	AGENCY(IES) WITH WARNINGS:						
None Found	No warnings found on HPD Priority lists						

 ${\tt SUBSTANCE\ NOTES:}\ This\ substance\ is\ considered\ proprietary\ by\ the\ supplier;\ however,\ the\ percentage\ and\ health\ hazards\ are\ disclosed.$

ALUMINUM SHIELD %: 5.9740 HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

ALUMINUM (ALUMINUM)				ID: 7429-90-5
%: 81.0000 - 99.0000	GS: LT-P1	RC: None	nano: No	ROLE: Alloy Metal
HAZARDS:	AGENCY(IES) WITH WARN	INGS:		
RESPIRATORY	AOEC - Asthmager	as	Asthmagen (AF only	Rs) - sensitizer-induced - inhalable forms
ENDOCRINE	TEDX - Potential En	ndocrine Disruptors	Potential Endo	crine Disruptor
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Stater	ments)	H228 - Flamma	able solid
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Stater	nents)	H250 - Catches	s fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Stater	ments)	H261 - In conta	act with water releases flammable gases

SILICON (SILICON)

%: 1.0000 - 13.5000 GS: LT-UNK RC: None NANO: No ROLE: Alloy Metal

SUBSTANCE NOTES: Substance ranges based on supplier documentation.

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

MAGNESIUM (MAGNESIUM)

ID: 7439-95-4

%: 1.0000 - 5.0000	GS: LT-UNK RC: None		nano: No	ROLE: Alloy Metal
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H250 - Catches fire spontaneously if exposed to air	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H260 - In contact with water releases flammable gases which may ignite spontaneously	

SUBSTANCE NOTES: Substance ranges based on supplier documentation.

SUBSTANCE NOTES: Substance ranges based on supplier documentation.

MANGANESE (MANGANESE)					ID: 7439-96-5
%: 1.0000 - 2.0000	GS: LT-P1	RC: None	NANO: No	ROLE: Alloy Metal	
HAZARDS:	AGENCY(IES) WITH WA	RNINGS:			
ENDOCRINE	TEDX - Potential	TEDX - Potential Endocrine Disruptors		crine Disruptor	
MULTIPLE	German FEA - Si Waters	German FEA - Substances Hazardous to Waters		d to Waters	
REPRODUCTIVE	Japan - GHS		Toxic to reprod	uction - Category 1B	

SUBSTANCE NOTES: Substance ranges based on supplier documentation.

				NICKEL (NICKEL)
ANO: No ROLE: Alloy M	RC: None	GS: LT-1 RC: N	GS: LT	%: 1.0000 - 5.0000
		AGENCY(IES) WITH WARNINGS:	AGENC	HAZARDS:
Group 1 - Agent is Carcinogenic to h		IARC	IARC	CANCER
Group 2b - Possibly carcinogenic to		IARC	IARC	CANCER
Carcinogen		CA EPA - Prop 65		CANCER
Occupational Carcinogen	I Carcinogens	US CDC - Occupational Ca	US C	CANCER
Reasonably Anticipated to be Human	rcinogens	US NIH - Report on Carcino	US N	CANCER
Asthmagen (ARs) - sensitizer-inducer		AOEC - Asthmagens	AOEC	RESPIRATORY
H317 - May cause an allergic skin rea	ts)	EU - GHS (H-Statements)	EU - (SKIN SENSITIZE
Carcinogen Occupational Carcinogen Reasonably Anticipated to be Human Asthmagen (ARs) - sensitizer-induced only	rcinogens	CA EPA - Prop 65 US CDC - Occupational Ca US NIH - Report on Carcino AOEC - Asthmagens	CA EI US CI US NI AOEC	CANCER CANCER CANCER RESPIRATORY

CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES: Substance ranges based on supplier documentation.

NANO: No ROLE: Alloy Metal
ts
ts

IRON (IRON)					ID: 7439-89-6		
%: 0.1000 - 1.3000	GS: LT-P1	RC: None	nano: No	ROLE: Alloy Metal			
HAZARDS:	AGENCY(IES) WITH WAF	AGENCY(IES) WITH WARNINGS:					
ENDOCRINE	TEDX - Potential	Endocrine Disruptors	Potential Endo	crine Disruptor			

SUBSTANCE NOTES: Substance ranges based on supplier documentation.

TIN COATED DRAIN WIRE %: 3.0670 HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

COPPER (COPPER) %: 98.0000 - 99.9900 GS: LT-UNK RC: None NANO: No ROLE: Drain Wire HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: Substance ranges based on supplier documentation.

 TIN (TIN)

 %: 0.0100 - 2.0000
 GS: LT-P1
 RC: None
 NANO: No
 ROLE: Tin Coating

 HAZARDS:
 AGENCY(IES) WITH WARNINGS:

 None Found
 No warnings found on HPD Priority lists

SUBSTANCE NOTES: Substance ranges based on supplier documentation.

TAPE SEPARATOR %: 2.5600 HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

POLYPROPYLENE (POLYPROPYLENE)

ID: 9003-07-0

%: 85.0000 - 100.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Tape		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Priority lists					

 ${\scriptsize \texttt{SUBSTANCE NOTES:}}\ \textbf{Substance ranges based on supplier documentation.}$

ETHYLENE-PROPYLENE COPOLYMER (ETHYLENE-PROPYLENE COPOLYMER)

ID: **9010-79-1**

%: 0.0000 - 12.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Adhesive	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

 $\hbox{\scriptsize {\tt SUBSTANCE}\ NOTES: } \textbf{Substance}\ \textbf{ranges}\ \textbf{based}\ \textbf{on}\ \textbf{supplier}\ \textbf{documentation}.$

RISER JACKET 2 %: 0.0000 - 25.9340 HPD URL:

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: Alternate to Riser Jacket 3. All substances including residuals are disclosed to 1,000 ppm.

%: 24.0000 - 47.0000	GS: LT-P1	RC: None	nano: No	ROLE: Polymer
HAZARDS:	AGENCY(IES) WITH WARNIN	IGS:		
RESPIRATORY	AOEC - Asthmagens	S	Asthmagen (Rs) - s	ensitizer-induced

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 20.0000 - 40.0000	GS: BM-2	RC: None	NANO: No	ROLE: Flame Retardant
HAZARDS:	AGENCY(IES) WITH V	VARNINGS:		
RESPIRATORY AOEC - Asthmagens		Asthmag only	en (ARs) - sensitizer-induced - inhalable forms	

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

	ChemSec - SIN List		Endocrine Disrup	
HAZARDS:	AGENCY(IES) WITH WARNIN	GS:		
%: 5.0000 - 10.0000	GS: LT-P1	RC: None	nano: No	ROLE: Plasticizer

6: 5.0000 - 10.0000	GS: BM-2 RC: None	NANO: No ROLE: Plasticizer	
HAZARDS:	AGENCY(IES) WITH WARNINGS:		
РВТ	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action	
ENDOCRINE	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Chemical for Priority Action	
РВТ	EU - ESIS PBT	Fulfills PBT Criteria - Action Deferred	
РВТ	ChemSec - SIN List	PBT / vPvB (Persistent, Bioaccumulative, & Toxic / very Persistent & very Bioaccumulative)	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters	

РВТ	EHP - San Antonio Statement on BFRs & CFRs	Flame retardant substance class of concern for PB&T & long range transport
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - ongoing chemical (risk) assessment

%: 1.0000 - 5.0000	gs: BM-1	RC: None	NANO: No	ROLE: Flame Retardant		
70. 1.0000 - 3.0000	GS. DIVI-1	no. None	NANO. NO	NOLE. I Idille Metalualit		
HAZARDS:	AGENCY(IES) WITH W	/ARNINGS:				
MAMMALIAN	EU - R-phrases	EU - R-phrases		R20 - Harmful by Inhalation (gas or vapor or dust/mist)		
MAMMALIAN	EU - R-phrases	EU - R-phrases		R22 - Harmful if Swallowed		
ACUTE AQUATIC	EU - R-phrases	EU - R-phrases		R51 - Toxic to Aquatic Organisms		
CANCER	IARC	IARC		Group 2b - Possibly carcinogenic to humans		
CANCER	CA EPA - Prop	CA EPA - Prop 65		en		
CHRON AQUATIC	EU - GHS (H-St	atements)	H411 - To	xic to aquatic life with long lasting effects		
CANCER	EU - GHS (H-St	atements)	H351 - Su	spected of causing cancer		
MULTIPLE	ChemSec - SIN	List	CMR - Ca	arcinogen, Mutagen &/or Reproductive Toxicant		
CANCER	MAK	MAK		en Group 2 - Considered to be carcinogenic for		
CANCER	Japan - GHS		Carcinoge	enicity - Category 1B		

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 1.0000 - 5.0000	GS: BM-1	RC: None	nano: No	ROLE: Char Former	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Haza	ard to Waters	

%: 0.1000 - 5.0000	GS: LT-1	GS: LT-1 RC: None		ROLE: Plasticizer
HAZARDS:	AGENCY(IES) WITH WARNIN	IGS:		
CANCER	CA EPA - Prop 65	CA EPA - Prop 65		
DEVELOPMENTAL	US NIH - Reproductive & Developmental		Some Evidence of Adverse Effects - Developmental	

	Monographs	Toxicity
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
REPRODUCTIVE	US EPA - PPT Chemical Action Plans	Reproductive effects

%: 0.1000 - 5.0000	gs: LT-UNK	RC: None	nano: No	ROLE: Lubricant		
HAZARDS:	AGENCY(IES) WITH WARNINGS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists					

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 0.1000 - 5.0000	GS: LT-1	RC: None	nano: No	ROLE: Plasticizer	
HAZARDS:	AGENCY(IES) WITH WARNING	S:			
ENDOCRINE	EU - Priority Endocrin	EU - Priority Endocrine Disruptors		vo evidence of Endocrine Disruption	
РВТ	EU - ESIS PBT		Under PBT evalua	ation	
PBT	EC - CEPA DSL	EC - CEPA DSL		cumulative and inherently Toxic (PBiTE) to based on aquatic organisms)	
ACUTE AQUATIC	EU - GHS (H-Stateme	EU - GHS (H-Statements)		H400 - Very toxic to aquatic life	
CHRON AQUATIC	EU - GHS (H-Stateme	EU - GHS (H-Statements)		H410 - Very toxic to aquatic life with long lasting effects	
DEVELOPMENTAL	EU - GHS (H-Stateme	EU - GHS (H-Statements)		H362 - May cause harm to breast-fed children	
MULTIPLE	German FEA - Substa Waters	German FEA - Substances Hazardous to Waters		to Waters	
PBT	EHP - San Antonio St	EHP - San Antonio Statement on BFRs & CFRs		ubstance class of concern for PB&T & ort	
CHRON AQUATIC	US EPA - PPT Chemic	cal Action Plans	Highly toxic to aquatic organisms		
RESTRICTED LIST	US EPA - PPT Chemic	US EPA - PPT Chemical Action Plans		chemical - ongoing chemical (risk)	
CANCER	MAK		Carcinogen Group but not sufficient	o 3B - Evidence of carcinogenic effects for classification	
DEVELOPMENTAL	Australia - GHS		H362 - May cause	e harm to breast-fed children	

HAZARDS:	AGENCY(IES) WITH WA	RNINGS:		
None Found	No warnings fou	nd on HPD Priority lists		
SUBSTANCE NOTES: This sub	estance is considered pro	pprietary by the suppli	er; however, the percenta	ge and health hazards are disclosed
o: 0.0100 - 5.0000	GS: LT-P1	RC: None	NANO: No ROL	.E: Thermal Stabilizer
HAZARDS:	AGENCY(IES) WITH WA	RNINGS:		
RESPIRATORY	AOEC - Asthmaç	gens	Asthmagen (ARs) only	- sensitizer-induced - inhalable forms
SUBSTANCE NOTES: This sub	estance is considered pro	pprietary by the suppli	er; however, the percenta	age and health hazards are disclosed
%: 0.0100 - 1.0000	GS: LT-UNK	RC: None	nano: No r	OLE: Thermal Stabilizer
HAZARDS:	AGENCY(IES) WITH WA	RNINGS:		
None Found	No warnings fou	nd on HPD Priority lists		
SUBSTANCE NOTES: This sub	stance is considered pro	pprietary by the suppli	er; however, the percenta	ge and health hazards are disclosed
%: 0.0000 - 1.0000	GS: NoGS	RC: None	nano: No	ROLE: Lubricant
%: 0.0000 - 1.0000 HAZARDS:	GS: NoGS AGENCY(IES) WITH WA		nano: No	ROLE: Lubricant
%: 0.0000 - 1.0000 HAZARDS: None Found	AGENCY(IES) WITH WA		nano: No	ROLE: Lubricant
HAZARDS: None Found	AGENCY(IES) WITH WA	RNINGS: nd on HPD Priority lists		ROLE: Lubricant Ige and health hazards are disclosed
None Found SUBSTANCE NOTES: This sub	AGENCY(IES) WITH WA	RNINGS: nd on HPD Priority lists		
None Found SUBSTANCE NOTES: This sub	No warnings fou	nd on HPD Priority lists oprietary by the supplie	er; however, the percenta	ige and health hazards are disclosed
HAZARDS: None Found SUBSTANCE NOTES: This sub %: 0.0000 - 1.0000	AGENCY(IES) WITH WA No warnings fou Distance is considered pro GS: LT-UNK AGENCY(IES) WITH WA	nd on HPD Priority lists oprietary by the supplie	er; however, the percenta	ige and health hazards are disclosed

: 0.0000 - 1.5000	GS: LT-P1	RC: None	nano: No	ROLE: Lubricant
HAZARDS:	AGENCY(IES) WITH WAR	NINGS:		
ENDOCRINE	TEDX - Potential I	Endocrine Disruptors	Potential End	docrine Disruptor
SUBSTANCE NOTES: This sub	stance is considered prop	orietary by the supplie	er; however, the perc	centage and health hazards are disclose
0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Thermal Stabilizer
HAZARDS:	AGENCY(IES) WITH WAR	NINGS:		
None Found	No warnings foun	d on HPD Priority lists		
SUBSTANCE NOTES: This sub	stance is considered prop	orietary by the supplie	er; however, the perc	entage and health hazards are disclose
0.0000 - 1.0000	GS: LT-P1	RC: None	nano: No	ROLE: Lubricant
HAZARDS:	AGENCY(IES) WITH WAR	NINGS:		
ENDOCRINE SUBSTANCE NOTES: This sub	TEDX - Potential I	Endocrine Disruptors		docrine Disruptor centage and health hazards are disclose
ENDOCRINE SUBSTANCE NOTES: This sub	TEDX - Potential I	Endocrine Disruptors		
ENDOCRINE SUBSTANCE NOTES: This sub	TEDX - Potential I	Endocrine Disruptors prietary by the supplie	er; however, the perc	centage and health hazards are disclose
ENDOCRINE	TEDX - Potential I stance is considered prop GS: LT-UNK AGENCY(IES) WITH WAR	Endocrine Disruptors prietary by the supplie	er; however, the perc	centage and health hazards are disclose
ENDOCRINE SUBSTANCE NOTES: This sub 0.0000 - 1.0000 HAZARDS: None Found	Stance is considered propagations. GS: LT-UNK AGENCY(IES) WITH WAR	Endocrine Disruptors prietary by the supplie RC: None ININGS: d on HPD Priority lists	er; however, the perconnection of the perconnection	centage and health hazards are disclose
ENDOCRINE SUBSTANCE NOTES: This sub 0.0000 - 1.0000 HAZARDS: None Found SUBSTANCE NOTES: This sub	Stance is considered propagations. GS: LT-UNK AGENCY(IES) WITH WAR	Endocrine Disruptors prietary by the supplie RC: None ININGS: d on HPD Priority lists	er; however, the perconnection of the perconnection	centage and health hazards are disclose
ENDOCRINE SUBSTANCE NOTES: This sub : 0.0000 - 1.0000 HAZARDS: None Found SUBSTANCE NOTES: This sub	Stance is considered properties of the stance is considered properties. WITH WAR No warnings foun stance is considered properties.	Endocrine Disruptors Priorietary by the supplied RC: None RC: None RC: None	NANO: No	centage and health hazards are disclosed and health hazards are di
ENDOCRINE SUBSTANCE NOTES: This sub 0.0000 - 1.0000 HAZARDS: None Found	TEDX - Potential I stance is considered prop GS: LT-UNK AGENCY(IES) WITH WAR No warnings foun stance is considered prop GS: LT-P1 AGENCY(IES) WITH WAR	Endocrine Disruptors Priorietary by the supplied RC: None RC: None RC: None	NANO: No	centage and health hazards are disclosed and health hazards are di
ENDOCRINE SUBSTANCE NOTES: This sub : 0.0000 - 1.0000 HAZARDS: None Found : 0.0000 - 1.0000 HAZARDS: None Found	Stance is considered property of the stance is c	Endocrine Disruptors Priorietary by the supplied RC: None RC: None RC: None RC: None RC: None	NANO: No	centage and health hazards are disclosed and health hazards are di

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

RISER JACKET 3 %: 0.0000 - 25.9340 HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

other material notes: Alternate to Riser Jacket 2. All substances including residuals are disclosed to 1,000 ppm.

%: 38.0000 - 40.0000	GS: LT-P1	RC: None	nano: No	ROLE: Polymer
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
RESPIRATORY	AOEC - Asthmagens		Asthmagen (Rs) - sens	itizer-induced

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 26.0000 - 28.0000	GS: BM-2	RC: None	nano: No	ROLE: Flame Retardant
HAZARDS:	AGENCY(IES) WITH W	/ARNINGS:		
RESPIRATORY	AOEC - Asthma	AOEC - Asthmagens		en (ARs) - sensitizer-induced - inhalable forms

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 10.0000 - 12.0000	gs: LT-UNK	RC: None	nano: No	ROLE: Softening Additive			
HAZARDS:	AGENCY(IES) WITH WARN	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found	No warnings found on HPD Priority lists					

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 6.5000 - 7.5000 GS: BM-3 RC: None NANO: No ROLE: Flame Retardant

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found	No warnings found on HPD Priority lists

%: 6.0000 - 7.0000	GS: BM-2	RC: None	nano: No	ROLE: Softening Additive
HAZARDS:	AGENCY(IES) WITH V	VARNINGS:		
РВТ	OSPAR - Priorit	ty PBTs & EDs & equivalent	PBT - Ch	emical for Priority Action
ENDOCRINE	OSPAR - Priorit	ty PBTs & EDs & equivalent	Endocrin	e Disruptor - Chemical for Priority Action
PBT	EU - ESIS PBT		Fulfills Pl	BT Criteria - Action Deferred
РВТ	ChemSec - SIN	I List		vB (Persistent, Bioaccumulative, & Toxic / very at & very Bioaccumulative)
MULTIPLE	German FEA - S Waters	Substances Hazardous to	Class 2 -	Hazard to Waters
PBT	EHP - San Anto	onio Statement on BFRs & Cl		tardant substance class of concern for PB&T & ge transport
RESTRICTED LIST	US EPA - PPT (Chemical Action Plans	TSCA Wo	ork Plan chemical - ongoing chemical (risk) ent

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 2.0000 - 3.0000	GS: BM-1	RC: None	NANO: No	ROLE: Flame Retardant
HAZARDS:	AGENCY(IES) WITH WARN	INGS:		
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Haz	ard to Waters

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 0.5100 - 0.8500	gs: LT-UNK	RC: None	nano: No	ROLE: Stabilizer			
HAZARDS:	AGENCY(IES) WITH WARNIN	IGS:					
None Found	No warnings found of	No warnings found on HPD Priority lists					
SUBSTANCE NOTES: This sub	stance is considered propri	etary by the supplier; he	owever, the percentage	e and health hazards are disclosed.			

%: **0.5000 - 1.5000** GS: **BM-1** RC: **None** NANO: **No** ROLE: **Flame Retardant**

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
MAMMALIAN	EU - R-phrases	R20 - Harmful by Inhalation (gas or vapor or dust/mist)
MAMMALIAN	EU - R-phrases	R22 - Harmful if Swallowed
ACUTE AQUATIC	EU - R-phrases	R51 - Toxic to Aquatic Organisms
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CANCER	Japan - GHS	Carcinogenicity - Category 1B

%: 0.5000 - 1.0000	GS: NoGS	RC: None	nano: No	ROLE: Smoke Suppressant			
HAZARDS:	AGENCY(IES) WITH WAI	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings four	No warnings found on HPD Priority lists					

%: 0.4700 - 0.7900	GS: LT-UNK	RC: None	nano: No	ROLE: Stabilizer			
HAZARDS:	AGENCY(IES) WITH WARNIN	IGS:					
None Found	No warnings found o	No warnings found on HPD Priority lists					
SUBSTANCE NOTES: This subs	stance is considered propri	etary by the supplier; he	owever, the percentage	e and health hazards are disclosed.			

%: 0.2000 - 0.3000	GS: LT-1	RC: None	NANO: No	ROLE: Colorant	
HAZARDS:	AGENCY(IES) WITH WARNIN	IGS:			
CANCER	US CDC - Occupational Carcinogens		Occupational Carcinogen		
CANCER	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CANCER	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		

ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

6: 0.1800 - 0.3000	GS: LT-UNK	RC: None	NANO: No	ROLE: Stabilizer
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

%: 0.1500 - 0.2500	GS: LT-P1	RC: None	NANO: No	ROLE: Stabilizer	
HAZARDS:	AGENCY(IES) WITH WARN	NINGS:			
RESTRICTED LIST	German FEA - Sub Waters	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

CERTIFYING PARTY: Self-declared

ISSUE DATE: 0000-

EXPIRY DATE:

CERTIFIER OR LAB: None

APPLICABLE FACILITIES: All

01-01

CERTIFICATE URL:

LCA

CERTIFICATION AND COMPLIANCE NOTES:

Environmental Product Declaration

CERTIFYING PARTY: Third Party

ISSUE DATE: 2014-

EXPIRY DATE: 2019-

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: Hoisington, KS, USA

06-06

06-06

Environment

CERTIFICATE URL:

http://ce.superioressex.com/about/environmental/

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

POLYESTER PULL STRING

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Installers use wire pulling string as a safe means of pulling wire and cable in the installation. When using proper pulling string, it is possible to install cable without harming the installer or the product.



Section 5: General Notes

This Health Product Declaration was prepared by Sustainable Solutions Corporation of Royersford, Pennsylvania on behalf of Superior Essex.

MANUFACTURER INFORMATION

MANUFACTURER: Superior Essex

ADDRESS: 6120 Powers Ferry Road Suite 150

Atlanta GA 30339, USA

WEBSITE: http://ce.superioressex.com/

CONTACT NAME: Steve Born

TITLE: Sr. Applications Engineer, LEED AP BD+C

PHONE: 770-657-6000

EMAIL: steve.born@spsx.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) **REP** Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown None Does not include recycled content

information from List Translator lists to benchmark)

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.