Superior Essex 4-Pair Plenum Copper Cable: NextGain Category 6eX by Superior Essex

Health Product Declaration v2.1

CLASSIFICATION: 27 10 00.00 Communications: Structured Cabling

created via: HPDC Online Builder

PRODUCT DESCRIPTION: This HPD covers the Superior Essex 4-Pair plenum NextGain Category 6eX copper cable.

NextGain Category 6eX cable brings UTP performance to a new level. Guaranteed for 7 dB of margin (headroom) over base requirements of CAT 6 NEXT standards, this cable maximizes bandwidth for today's leading edge applications and those of the future. With positive ACR verified beyond 300 MHz, NextGain CAT 6eX cable demonstrates superior capability for ATM, Gigabit Ethernet and other bandwidth intensive applications.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format Threshold level Residuals/Impurities Are All Substances Above the Threshold Indicated: Residuals/Impurities C 100 ppm Nested Materials Method Characterized • Yes • No Considered in 3 of 4 C Basic Method € 1,000 ppm Percent Weight and Role Provided? Materials C Per GHS SDS Threshold Disclosed Per Screened Yes No Explanation(s) provided C Per OSHA MSDS Using Priority Hazard Lists with Material for Residuals/Impurities? C Other Results Disclosed? Product Yes No Identified C Yes C No Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

ELECTRICAL CONDUCTOR [COPPER (COPPER) LT-UNK] PLENUM JACKET 3 [UNDISCLOSED LT-P1 | RES UNDISCLOSED BM-2 | RES UNDISCLOSED LT-1 | CAN UNDISCLOSED BM-2 | PBT | END | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK | SKI UNDISCLOSED BM-1 | MAM | AQU | CAN | MUL UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | MUL UNDISCLOSED LT-P1 | END UNDISCLOSED LT-P1 UNDISCLOSED LT-1 | CAN | END UNDISCLOSED BM-3 UNDISCLOSED LT-P1 UNDISCLOSED LT-UNK UNDISCLOSED BM-3 UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN UNDISCLOSED LT-UNK UNDISCLOSED BM-3 UNDISCLOSED BM-1 | AQU | RES | MUL UNDISCLOSED NoGS UNDISCLOSED LT-P1] FEP WIRE INSULATION 2 [1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE (1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE) LT-UNK | CROSS WEB SEPARATOR 1 [1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE (1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE) LT-UNK

Number of Greenscreen BM-4/BM3 contents....... 3 Contents highest concern GreenScreen Benchmark or List translator Score..... BM-1 Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

All substances in this HPD have been screened using Priority Hazard Lists with results disclosed.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

SCREENING DATE: 2018-02-02

VOC emissions: N/A

LCA: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified? PREPARER: Self-Prepared

> VERIFIER: **VERIFICATION #:**

PUBLISHED DATE: 2018-02-28 EXPIRY DATE: 2021-02-02

C Yes No



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- · Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

ELECTRICAL CONDUCTOR

%: 45.5610

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

COPPER (COPPER)					ID: 7440-50-8
%: 100.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Conductor	
HAZARDS:	AGENCY(IES) WITH WARNIN	IGS:			
None Found	No warnings found or	No warnings found on HPD Priority lists			
SUBSTANCE NOTES:					

PLENUM JACKET 3 %: 26.5540 **HPD URL:**

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

UNDISCLOSED

%: 30.0000 - 40.0000	GS: LT-P1	RC: None	nano: No	ROLE: Polymer
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
RESPIRATORY	AOEC - Asthmagens		Asthmagen (Rs) - sensitiz	zer-induced
HESPIKATORY	AUEU - Asthmagens		Astnmagen (Hs) - sensitiz	zer-inaucea

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 15.0000 - 25.0000	GS: BM-2	RC: None	NANO: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WAR	NINGS:		
RESPIRATORY	AOEC - Asthmager	AOEC - Asthmagens		sensitizer-induced - inhalable forms only

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: Impurity/Residual	GS: LT-1	RC: None	nano: No	ROLE: Impurity/Residual		
HAZARDS:	AGENCY(IES) WITH	WARNINGS:				
CANCER	US CDC - Occ	US CDC - Occupational Carcinogens		ational Carcinogen		
CANCER	CA EPA - Prop	CA EPA - Prop 65		ogen - specific to chemical form or exposure route		
CANCER	IARC	IARC		Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CANCER	US NIH - Repo	US NIH - Report on Carcinogens		to be Human Carcinogen (respirable size - occupational		
CANCER	MAK		Carcino	ogen Group 1 - Substances that cause cancer in man		
CANCER	New Zealand -	GHS	6.7A - k	Known or presumed human carcinogens		
CANCER	Japan - GHS		Carcino	ogenicity - Category 1A		
CANCER	Australia - GHS	3	H350 -	May cause cancer		

SUBSTANCE NOTES: This substance is a residual considered proprietary by the supplier; however, the health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 10.0000	GS: BM-2	RC: None	NANO: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
PBT	OSPAR - Priority PBTs & EDs & equivalent concern		PBT - Chemical for Priority Action	
ENDOCRINE	OSPAR - Priority PBTs & EDs & equivalent concern		Endocrine Disruptor - Chemical for Priority Action	
PBT	EU - ESIS PBT		Fulfills PBT Criteria - Action Deferred	
PBT	ChemSec - SIN List		PBT / vPvB (Persistent, Bioaccumulative, & Toxic / ver Persistent & very Bioaccumulative)	
MULTIPLE	German FEA - Substanc	es Hazardous to Waters	Class 2 - Hazard to Water	ers
PBT	EHP - San Antonio State	ment on BFRs & CFRs	Flame retardant substand range transport	ce class of concern for PB&T & long

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 10.0000	gs: LT-UNK	RC: None	nano: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD P	riority lists		

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
SKIN IRRITATION	EU - GHS (H-Statements)		H315 - Causes skin irritation	

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 5.0000	gs: BM-1	RC: None	nano: No	ROLE: Additive	
HAZARDS:	AGENCY(IES) WITH WARNINGS	S:			
MAMMALIAN	EU - R-phrases	EU - R-phrases		on (gas or vapor or dust/mist)	
MAMMALIAN	EU - R-phrases		R22 - Harmful if Swallow	ed	
ACUTE AQUATIC	EU - R-phrases		R51 - Toxic to Aquatic O	rganisms	
CANCER	IARC		Group 2b - Possibly carcinogenic to humans		
CANCER	CA EPA - Prop 65	CA EPA - Prop 65			
CHRON AQUATIC	EU - GHS (H-Statement	ts)	H411 - Toxic to aquatic life with long lasting effects		
CANCER	EU - GHS (H-Statement	ts)	H351 - Suspected of causing cancer		
MULTIPLE	ChemSec - SIN List	ChemSec - SIN List		gen &/or Reproductive Toxicant	
CANCER	MAK	MAK		ensidered to be carcinogenic for man	
CANCER	Japan - GHS		Carcinogenicity - Categor	ry 1B	

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Additive	
HAZARDS:	AGENCY(IES) WITH WARNING	GS:			
None Found	No warnings found on	No warnings found on HPD Priority lists			
SUBSTANCE NOTES: This subs	stance is considered proprietar	y by the supplier; howeve	r, the percentage and he	ealth hazards are disclosed.	

UNDISCLOSED

%: 0.0000 - 2.0000	GS: BM-1	RC: None	nano: No	ROLE: Additive	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
MULTIPLE	German FEA - Substanc	es Hazardous to Waters	Class 2 - Hazard to Waters	3	

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 2.0000	GS: LT-P1	RC: None	nano: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
ENDOCRINE	TEDX - Potential Endocrin	ne Disruptors	Potential Endocrine Disrupt	or

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 5.0000	GS: LT-P1	RC: None	nano: No	ROLE: Additive	
HAZARDS:	AGENCY(IES) WITH WARNII	NGS:			
None Found	No warnings found o	n HPD Priority lists			

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 2.0000	gs: LT-1	RC: None	NANO: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WAR	ININGS:		
CANCER	US CDC - Occupa	US CDC - Occupational Carcinogens		inogen
CANCER	CA EPA - Prop 65	CA EPA - Prop 65		fic to chemical form or exposure route

CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 1.5000	GS: BM-3	RC: None	NANO: No	ROLE: Additive	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 1.0000	GS: LT-P1	RC: None	nano: No	ROLE: Additive		
HAZARDS:	AGENCY(IES) WITH WARN	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists					

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Additive		
HAZARDS:	AGENCY(IES) WITH WARNINGS	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists					

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 1.0000	GS: BM-3	RC: None	nano: No	ROLE: Additive		
HAZARDS:	AGENCY(IES) WITH WARN	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists					

 ${\tt SUBSTANCE\ NOTES:}\ This\ substance\ is\ considered\ proprietary\ by\ the\ supplier;\ however,\ the\ percentage\ and\ health\ hazards\ are\ disclosed.$

UNDISCLOSED

%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNING	SS:		
None Found	No warnings found on	HPD Priority lists		
SUBSTANCE NOTES: This subs	stance is considered proprietary	y by the supplier; however	r, the percentage and he	ealth hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Additive		
HAZARDS:	AGENCY(IES) WITH WARNING	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 1.0000	GS: LT-1	RC: None	nano: No	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNIN	NGS:		
CANCER	US CDC - Occupation	nal Carcinogens	Occupational Carcinog	en
CANCER	CA EPA - Prop 65		Carcinogen - specific to	o chemical form or exposure route
CANCER	IARC	IARC		rcinogenic to humans - inhaled from
CANCER	MAK		Carcinogen Group 3B sufficient for classification	- Evidence of carcinogenic effects but not ion

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 5.0000	GS: LT-UNK	RC: None	nano: No	ROLE: Filler	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: **0.0000 - 5.0000** GS: **BM-3** RC: **None** NANO: **No** ROLE: **Flame Retardant**

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 5.0000	GS: BM-1	RC: None NA	NO: No	ROLE: Flame Retardant
HAZARDS:	AGENCY(IES) WITH WARNIN	GS:		
ACUTE AQUATIC	EU - R-phrases		R50 - Very	Toxic to Aquatic Organisms
RESPIRATORY	AOEC - Asthmagens		Asthmager	n (ARs) - sensitizer-induced - inhalable forms only
ACUTE AQUATIC	EU - GHS (H-Stateme	ents)	H400 - Very toxic to aquatic life M = 1000000	
CHRON AQUATIC	EU - GHS (H-Stateme	ents)	H410 - Ver	y toxic to aquatic life with long lasting effects
RESTRICTED LIST	German FEA - Substa	ances Hazardous to Waters	Class 2 - H	azard to Waters

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 5.0000	GS: NoGS	RC: None	nano: No	ROLE: Flame Retardant		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Priority lists					

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

UNDISCLOSED

%: 0.0000 - 5.0000	GS: LT-P1	RC: None	nano: No	ROLE: Functional Filler				
HAZARDS:	AGENCY(IES) WITH WA	AGENCY(IES) WITH WARNINGS:						
None Found	No warnings foun	No warnings found on HPD Priority lists						

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

FEP WIRE INSULATION 2

%: 18.1470

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

residuals and impurities considered: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm.

Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE (1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE) %: 100.0000 GS: LT-UNK RC: NANO: ROLE: None No Insulation HAZARDS: AGENCY(IES) WITH WARNINGS: None Found No warnings found on HPD Priority lists

CROSS WEB SEPARATOR 1

SUBSTANCE NOTES:

%: 9.7330

HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Residuals are not considered; proprietary additives are used in the manufacturing of this material and should be fully consumed in the process.

OTHER MATERIAL NOTES: All substances excluding residuals are disclosed to 1,000 ppm.

1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE (1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE)

ID: 25067-11-2

%: 100.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Cross web separator
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			
SUBSTANCE NOTES:				

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All

ISSUE DATE:0000-01-

EXPIRY DATE:

CERTIFIER OR LAB: None

CABLE FACILITIES: All

01

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

LCA

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Hoisington, KS, USA

CERTIFICATE URL:

http://ce.superioressex.com/about/environmental/

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2014-06-06

Environmental Product Declaration

EXPIRY DATE: 2019-

06-06

CERTIFIER OR LAB: UL Environment



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

POLYESTER PULL STRING

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Installers use wire pulling string as a safe means of pulling wire and cable in the installation. When using proper pulling string, it is possible to install cable without harming the installer or the product.



Section 5: General Notes

This Health Product Declaration was prepared by Sustainable Solutions Corporation of Royersford, Pennsylvania on behalf of Superior Essex.



Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: Superior Essex

ADDRESS: 6120 Powers Ferry Road Suite 150

Atlanta GA 30339, USA

WEBSITE: http://ce.superioressex.com/

CONTACT NAME: Steve Born

TITLE: Sr. Applications Engineer, LEED AP BD+C

PHONE: **770-657-6000**

EMAIL: steve.born@spsx.com

KEY

OSHA MSDS GHS SDS

Occupational Safety and Health Administration Material Safety Data Sheet

Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer **DEV** Developmental toxicity **GLO** Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

PHY Physical Hazard (reactive) **REP** Reproductive toxicity **RES** Respiratory sensitization

Superior Essex 4-Pair Plenum Copper Cable: NextGain Category 6eX hpdrepository.hpd-collaborative.org

HPD v2.1 created via HPDC Builder Page 10 of 11

END Endocrine activity **EYE** Eye irritation/corrosivity **GEN** Gene mutation

NEU Neurotoxicity **OZO** Ozone depletion **PBT** Persistent Bioaccumulative Toxic

SKI Skin sensitization/irritation/corrosivity **LAN** Land Toxicity **NF** Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspeci ed (insu cient data to benchmark)

LT-P1 List Translator Possible Benchmark 1
LT-1 List Translator Likely Benchmark 1
LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per produc

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.