## Superior Essex 4-Pair Riser Copper Cable: PowerWise 1G 4PPoE Indoor/Outdoor by Superior Essex

### **Health Product** Declaration v2.1

created via: HPDC Online Builder

CLASSIFICATION: 27 10 00.00 Communications: Structured Cabling

PRODUCT DESCRIPTION: This HPD covers the Superior Essex PowerWise 1G 4PPoE Indoor/Outdoor copper CMR/CMX cable. PowerWise 1G 4PPoE Indoor/Outdoor cable is specifically designed for outdoor applications. UV-blocking compounds aid in protecting the cable from light. Applications include Ethernet interconnect cable for Wi-Fi or retrofit cable installations that employ exterior runs having long-term outdoor exposure between two environmentally protected points. CMX Outdoor cables are designed to extend the run between the Network Interface Unit and the point of entry into the interior of a residence or a premise. This cable has been tested and listed as UL® 444 Outdoor compliant. This designation requires the cable to resist 300 hours of UV and heat. In addition, the CMR listing allows the cable to be used in riser spaces per UL 1666, eliminating the need to transition to fire resistant cables. PowerWise 1G 4PPoE Indoor/Outdoor AWG 22 cables provide the best performance and overall value for 4-Pair Power over Ethernet (4PPoE) applications requiring up to 100W of power and up to 1 Gigabit Ethernet performance compared to standard CAT 5e and 6 designs. PowerWise 1G 4PPoE cables are specifically designed to mitigate temperature build-up, offer exceptional energy efficiency and ensure performance (up to 1 Gigabit Ethernet) over the lifetime of your system provided the performance benefits of a CAT 5E+ cable including a small diameter. Plenum rated conductors are also 100% FEP insulated and ensure cable performance over the life of your system.



### Section 1: Summary

### **Nested Method / Product Threshold**

#### **CONTENT INVENTORY**

#### **Inventory Reporting Format**

Nested Materials Method

C Basic Method

#### **Threshold Disclosed Per**

Material

Product

#### Threshold level

- C 100 ppm
- **⊙** 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- C Other

#### Residuals/Impurities

Residuals/Impurities Considered in 6 of 6 Materials

Explanation(s) provided

for Residuals/Impurities?

Yes No

Are All Substances Above the Threshold Indicated:

Characterized

Yes ○ No

Percent Weight and Role Provided?

Screened

Yes ○ No

Using Priority Hazard Lists with Results Disclosed?

Identified

C Yes O No

Name and Identifier Provided?

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ELECTRICAL CONDUCTOR [ COPPER (COPPER) LT-UNK ] RISER JACKET 3 [ UNDISCLOSED LT-P1 | RES UNDISCLOSED BM-2 | RES UNDISCLOSED LT-UNK UNDISCLOSED BM-3 UNDISCLOSED BM-2 | PBT | END | MUL UNDISCLOSED BM-1 | MUL UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | MAM | AQU | CAN | MUL UNDISCLOSED NoGS UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN | END UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | MUL | CROSS WEB SEPARATOR 2 [ POLYETHYLENE (POLYETHYLENE) LT-UNK DECABROMODIPHENYLETHANE (DBDPE) (DECABROMODIPHENYLETHANE (DBDPE)) BM-1 | PBT | END ANTIMONY TRIOXIDE (ANTIMONY TRIOXIDE) BM-1 | MAM | AQU | CAN | MUL ] RISER **INSULATION 4 [ UNDISCLOSED LT-UNK UNDISCLOSED LT-P1** UNDISCLOSED NoGS UNDISCLOSED LT-P1 | CAN UNDISCLOSED LT-1 | RES | END UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED BM-2 | CAN UNDISCLOSED LT-UNK ] RISER INSULATION 1 [ UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | PBT | END

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

All substances in this HPD have been screened using Priority Hazard Lists with results disclosed.

UNDISCLOSED BM-1 | MAM | AQU | CAN | MUL UNDISCLOSED LT-UNK | PBT | RISER INSULATION 2 [ UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | RES | END UNDISCLOSED LT-P1 UNDISCLOSED LT-P1 | CAN UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK ]

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

LCA: Environmental Product Declaration

**CONSISTENCY WITH OTHER PROGRAMS** 

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

PREPARER: Self-Prepared

C Yes
No

VERIFIER: VERIFICATION #: SCREENING DATE: 2018-02-08 PUBLISHED DATE: 2018-03-23 EXPIRY DATE: 2021-02-08



### **Section 2: Content in Descending Order of Quantity**

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

#### **ELECTRICAL CONDUCTOR**

%: 51.1870

**HPD URL:** 

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

COPPER (COPPER)					ID: <b>7440-50-8</b>	
%: 100.0000	gs: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Conductor		
HAZARDS:	AGENCY(IES) WITH WARNIN	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found o	No warnings found on HPD Priority lists				
SUBSTANCE NOTES:						

RISER JACKET 3 %: 34.2980 HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

other material notes: All substances including residuals are disclosed to 1,000 ppm.

%: 38.0000 - 40.0000	GS: LT-P1	RC: <b>None</b>	nano: <b>No</b>	ROLE: <b>Polymer</b>
HAZARDS:	AGENCY(IES) WITH WARNING	GS:		
RESPIRATORY	AOEC - Asthmagens		Asthmagen (Rs) - se	ensitizer-induced

%: <b>26.0000 - 28.0000</b>	GS: <b>BM-2</b>	RC: None	NANO: <b>No</b>	ROLE: Flame Retardant
HAZARDS:	AGENCY(IES) WITH W	/ARNINGS:		
RESPIRATORY	AOEC - Asthma	AOEC - Asthmagens		en (ARs) - sensitizer-induced - inhalable forms only

%: 10.0000 - 12.0000	GS: <b>LT-UNK</b>	RC: None	nano: <b>No</b>	ROLE: Softening Additive			
HAZARDS:	AGENCY(IES) WITH WARNIN	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found	on HPD Priority lists					

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: <b>6.5000 - 7.5000</b>	GS: <b>BM-3</b>	RC: None	nano: <b>No</b>	ROLE: Flame Retardant			
HAZARDS:	AGENCY(IES) WITH WARNIN	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Priority lists						

 ${\tt SUBSTANCE\ NOTES:}\ This\ substance\ is\ considered\ proprietary\ by\ the\ supplier;\ however,\ the\ percentage\ and\ health\ hazards\ are\ disclosed.$ 

%: 6.0000 - 7.0000	GS: <b>BM-2</b>	RC: None	NANO: <b>No</b>	ROLE: Softening Additive
HAZARDS:	AGENCY(IES) WITH WARN	NGS:		
PBT	OSPAR - Priority P concern	BTs & EDs & equivalent	PBT -	Chemical for Priority Action
ENDOCRINE	OSPAR - Priority P concern	BTs & EDs & equivalent	Endo	crine Disruptor - Chemical for Priority Action
PBT	EU - ESIS PBT		Fulfills	s PBT Criteria - Action Deferred
PBT	ChemSec - SIN Lis	t		vPvB (Persistent, Bioaccumulative, & Toxic / very stent & very Bioaccumulative)
MULTIPLE	German FEA - Sub	stances Hazardous to W	/aters Class	2 - Hazard to Waters
PBT	EHP - San Antonio	Statement on BFRs & C		e retardant substance class of concern for PB&T & long transport
RESTRICTED LIST	US EPA - PPT Che	mical Action Plans		Work Plan chemical - ongoing chemical (risk) sment

HAZARDS: AGENCY(IES) WITH WARNINGS:

MULTIPLE German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: <b>0.5100 - 0.8500</b>	GS: <b>LT-UNK</b>	RC: None	nano: <b>No</b>	ROLE: <b>Stabilizer</b>	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: <b>0.5000 - 1.5000</b>	gs: <b>BM-1</b> RC: <b>N</b>	e NANO: No ROLE: Flame Retardant
HAZARDS:	AGENCY(IES) WITH WARNINGS:	
MAMMALIAN	EU - R-phrases	R20 - Harmful by Inhalation (gas or vapor or dust/mist)
MAMMALIAN	EU - R-phrases	R22 - Harmful if Swallowed
ACUTE AQUATIC	EU - R-phrases	R51 - Toxic to Aquatic Organisms
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CANCER	Japan - GHS	Carcinogenicity - Category 1B

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 0.5000 - 1.0000	gs: <b>NoGS</b>	RC: <b>None</b>	nano: <b>No</b>	ROLE: Smoke Suppressant			
HAZARDS:	AGENCY(IES) WITH W	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings for	No warnings found on HPD Priority lists					

%: <b>0.4700 - 0.7900</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Stabilizer	
MAZARRO	AGENOVIEO WITH WARNING	20			
HAZARDS:	AGENCY(IES) WITH WARNING	iS:			
None Found	No warnings found on HPD Priority lists				
SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.					

%: 0.2000 - 0.3000	GS: <b>LT-1</b>	RC: None	NANO: <b>No</b>	ROLE: Colorant		
HAZARDS:	AGENCY(IES) WITH WA	ARNINGS:				
CANCER	US CDC - Occup	US CDC - Occupational Carcinogens		cinogen		
CANCER	CA EPA - Prop 6	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	IARC		oly carcinogenic to humans - inhaled from ces		
ENDOCRINE	TEDX - Potentia	TEDX - Potential Endocrine Disruptors		ne Disruptor		
CANCER	MAK			o 3A - Evidence of carcinogenic effects but stablish MAK/BAT value		

%: 0.1800 - 0.3000	GS: LT-UNK	RC: <b>None</b>	nano: <b>No</b>	ROLE: <b>Stabilizer</b>		
HAZARDS:	AGENCY(IES) WITH WARNING	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found or	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: <b>0.1500 - 0.2500</b>	gs: <b>LT-P1</b>	RC: <b>None</b>	nano: <b>No</b>	ROLE: Stabilizer		
HAZARDS:	AGENCY(IES) WITH WARNING	AGENCY(IES) WITH WARNINGS:				
RESTRICTED LIST	German FEA - Substa	nces Hazardous to Waters	Class 2 - Hazard to Waters			

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

#### **CROSS WEB SEPARATOR 2**

%: 7.0720

**HPD URL:** 

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known

impurities, unreacted inputs, and residuals were marked accordingly.

 ${\scriptsize \texttt{SUBSTANCE}\ NOTES:}\ \textbf{Substance}\ \textbf{ranges}\ \textbf{based}\ \textbf{on}\ \textbf{supplier}\ \textbf{documentation}.$ 

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

### POLYETHYLENE (POLYETHYLENE)

ID: 9002-88-4

%: <b>75.0000 - 78.0000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	nano: <b>No</b>	ROLE: Cross Web Separator Resin			
HAZARDS:	AGENCY(IES) WITH WARNIN	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Priority lists						

# DECABROMODIPHENYLETHANE (DBDPE) (DECABROMODIPHENYLETHANE (DBDPE))

ID: 84852-53-9

%: 16.0000 - 18.0000	GS: <b>BM-1</b>	RC: None	NANO: <b>No</b>	ROLE: Cross Web Separator Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
PBT	OSPAR - Priority PBTs & EDs & equi concern	ivalent	PBT - Chemic	al for Priority Action
ENDOCRINE	OSPAR - Priority PBTs & EDs & equi concern	ivalent	Endocrine Dis	ruptor - Chemical for Priority Action
PBT	ChemSec - SIN List		,	Persistent, Bioaccumulative, & Toxic / very ery Bioaccumulative)
PBT	EHP - San Antonio Statement on BF	Rs & CFRs	Flame retarda range transpo	nt substance class of concern for PB&T & long

 ${\scriptsize \texttt{SUBSTANCE}\ NOTES:}\ \textbf{Substance}\ \textbf{ranges}\ \textbf{based}\ \textbf{on}\ \textbf{supplier}\ \textbf{documentation}.$ 

### ANTIMONY TRIOXIDE (ANTIMONY TRIOXIDE)

ID: 1309-64-4

%: 5.0000 - 8.0000	GS: <b>BM-1</b>	RC: None	NANO: <b>No</b>	ROLE: Cross Web Separator Additive		
HAZARDS:	AGENCY(IES) WITH WARNINGS:	:				
MAMMALIAN	EU - R-phrases		R20	- Harmful by Inhalation (gas or vapor or dust/mist)		
MAMMALIAN	EU - R-phrases	EU - R-phrases		- Harmful if Swallowed		
ACUTE AQUATIC	EU - R-phrases	EU - R-phrases		R51 - Toxic to Aquatic Organisms		
CANCER	IARC	IARC		Group 2b - Possibly carcinogenic to humans		
CANCER	CA EPA - Prop 65	CA EPA - Prop 65		Carcinogen		
CHRON AQUATIC	EU - GHS (H-Statemen	its)	H411	I - Toxic to aquatic life with long lasting effects		
CANCER	EU - GHS (H-Statemen	ts)	H35 <sup>-</sup>	I - Suspected of causing cancer		
MULTIPLE	ChemSec - SIN List		CMF	R - Carcinogen, Mutagen &/or Reproductive Toxicant		
CANCER	MAK	MAK		rinogen Group 2 - Considered to be carcinogenic for man		
CANCER	Japan - GHS		Caro	inogenicity - Category 1B		

#### **RISER INSULATION 4**

%: 3.7190

**HPD URL:** 

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: All substances including residuals are disclosed to 1,000 ppm.

%: 98.2000	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Polymer	
HAZARDS:	AGENCY(IES) WITH WARNINGS	i:			
None Found	No warnings found on	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 0.5000 - 0.7000	GS: LT-P1	RC: None	nano: <b>No</b>	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on H	PD Priority lists		

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: 0.2000	GS: <b>NoGS</b>	RC: None	NANO: <b>No</b>	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on F	IPD Priority lists		

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: <b>0.0000 - 1.1000</b>	GS: LT-P1	RC: None	nano: <b>No</b>	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WARNINGS	:		
CANCER	Japan - GHS	Japan - GHS		itegory 1A

		RC: None	nano: <b>No</b>	ROLE: Additive
HAZARDS:	AGENCY(IES) WITH WA	ARNINGS:		
RESPIRATORY	AOEC - Asthmag	gens Asthmagen (Rs) - sensitizer-induced		ensitizer-induced
RESPIRATORY	EU - GHS (H-Sta	EU - GHS (H-Statements)		llergy or asthma symptoms or breathing
ENDOCRINE	EU - SVHC Autho	EU - SVHC Authorisation List		- Prioritized for Listing
SUBSTANCE NOTES: <b>This sub</b> :	stance is considered prop	prietary by the supplier; h	owever, the percentage a	nd health hazards are disclosed.
0.0000 - 0.2000	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: <b>Additive</b>
HAZARDS:	AGENCY(IES) WITH WA	ARNINGS:		
None Found	No warnings fou	nd on HPD Priority lists		
SUBSTANCE NOTES: This sub	stance is considered prop	prietary by the supplier; h	owever, the percentage a	nd health hazards are disclosed.
0.0000 - 0.2000	GS: LT-UNK	RC: <b>None</b>	nano: <b>No</b>	ROLE: <b>Additive</b>
HAZARDS:	AGENCY(IES) WITH WA	ARNINGS:		
None Found	No warnings fou	nd on HPD Priority lists		
SUBSTANCE NOTES: This sub	stance is considered prop	prietary by the supplier; h	owever, the percentage a	nd health hazards are disclosed.

%: 0.0000 - 0.2000	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Additive		
HAZARDS:	AGENCY(IES) WITH WARNING	SS:				
None Found	No warnings found or	No warnings found on HPD Priority lists				
SUBSTANCE NOTES: This subs	stance is considered propriets	ary by the supplier; how	ever, the percentage an	d health hazards are disclosed.		

%: 0.0000 - 0.2000	GS: <b>BM-2</b>	RC: None	nano: <b>No</b>	ROLE: Additive	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
CANCER	MAK		Carcinogen Group 4 - Non-genotoxic carcinogen with risk under MAK/BAT levels		

%: 0.0000 - 0.2000	GS: LT-UNK	RC: <b>None</b>	nano: <b>No</b>	ROLE: Additive	
HAZARDS:	AGENCY(IES) WITH WARNING	SS:			
None Found	No warnings found or	No warnings found on HPD Priority lists			

PRODUCT THRESHOLD: 1000 ppm

**RISER INSULATION 1** 

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

%: 0.0000 - 3.7190

OTHER MATERIAL NOTES: Alternate to Riser Insulation 2. All substances including residuals are disclosed to 1,000 ppm.

%: <b>49.3700</b>	gs: <b>LT-UNK</b>	RC: None	nano: <b>No</b>	ROLE: Copolymer	
HAZARDS:	AGENCY(IES) WITH WARNING	3:			
None Found	No warnings found on	HPD Priority lists			

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: <b>37.0700</b>	GS: <b>BM-1</b>	RC: <b>None</b>	nano: <b>No</b>	ROLE: Copolymer
HAZARDS:	AGENCY(IES) WITH WAI	RNINGS:		
PBT	OSPAR - Priority concern	PBTs & EDs & equivalent	PBT - Chemical	for Priority Action
ENDOCRINE	OSPAR - Priority concern	PBTs & EDs & equivalent	Endocrine Disru	uptor - Chemical for Priority Action
PBT	ChemSec - SIN L	ist	,	rsistent, Bioaccumulative, & Toxic / very ry Bioaccumulative)
PBT	EHP - San Anton	io Statement on BFRs & CFRs	Flame retardant range transport	t substance class of concern for PB&T & long

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

%: <b>12.3600</b>	GS: <b>BM-1</b>	RC: None	NANO: <b>No</b>	ROLE: <b>Additive</b>
HAZARDS:	AGENCY(IES) WITH WARNINGS:			

**HPD URL:** 

MAMMALIAN	EU - R-phrases	R20 - Harmful by Inhalation (gas or vapor or dust/mist)
MAMMALIAN	EU - R-phrases	R22 - Harmful if Swallowed
ACUTE AQUATIC	EU - R-phrases	R51 - Toxic to Aquatic Organisms
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CANCER	Japan - GHS	Carcinogenicity - Category 1B

%: 0.3300	gs: LT-UNK	RC: <b>None</b>	nano: <b>No</b>	ROLE: <b>Additive</b>
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
PBT	EU - ESIS PBT		Under PBT evaluation	

SUBSTANCE NOTES: This substance is considered proprietary by the supplier; however, the percentage and health hazards are disclosed.

RISER INSULATION 2 %: 0.0000 - 3.7190 HPD URL:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are considered as all substances including residuals are disclosed to 1,000 ppm. Residuals were identified through supplier and consultant expertise regarding the substances disclosed. Any known impurities, unreacted inputs, and residuals were marked accordingly.

OTHER MATERIAL NOTES: Alternate to Riser Insulation 1. All substances including residuals are disclosed to 1,000 ppm.

%: 97.3700	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: <b>Proprietary</b>
HAZARDS:	AGENCY(IES) WITH WARNING	SS:		
None Found	No warnings found o	n HPD Priority lists		
SUBSTANCE NOTES: This su	ubstance is considered propriet	ary by the supplier; ho	wever, the percentage	e and health hazards are disclosed.

%: 0.7000 GS: LT-UNK RC: None NANO: No ROLE: Proprietary

SUBSTANCE NOTES: <b>This su</b> l	bstance is considered prop	rietary by the supplier	however, the percenta	ge and health hazards are disclosed.
: 0.6800	GS: <b>LT-1</b>	RC: None	nano: <b>No</b>	ROLE: Proprietary
HAZARDS:	AGENCY(IES) WITH WAR	RNINGS:		
RESPIRATORY	AOEC - Asthmage	ens	Asthmagen (Rs)	- sensitizer-induced
RESPIRATORY	EU - GHS (H-State	ements)	H334 - May cau difficulties if inh	se allergy or asthma symptoms or breathing aled
ENDOCRINE	EU - SVHC Autho	risation List	Equivalent Cond	cern - Prioritized for Listing
SUBSTANCE NOTES: This sul	bstance is considered prop	rietary by the supplier	: however, the percenta	ge and health hazards are disclosed.
		, .,	, , ,	•
s: 0.6500	gs: <b>LT-P1</b>	RC: <b>None</b>	nano: <b>No</b>	ROLE: <b>Proprietary</b>
o: <b>0.0300</b>	GS: LI-FI	RC: NOTE	NANO: NO	ROLE: Proprietary
HAZARDS:	AGENCY(IES) WITH WAR	RNINGS:		
	AGENCY(IES) WITH WARNINGS:			
None Found  SUBSTANCE NOTES: This sull		d on HPD Priority lists	; however, the percenta	ge and health hazards are disclosed.
SUBSTANCE NOTES: <b>This su</b> l	bstance is considered prop	rietary by the supplier		
			however, the percentage is how the percent	ge and health hazards are disclosed.  ROLE: <b>Proprietary</b>
SUBSTANCE NOTES: <b>This su</b> l	bstance is considered prop	rietary by the supplier		
SUBSTANCE NOTES: <b>This su</b> l	bstance is considered prop	rietary by the supplier		ROLE: <b>Proprietary</b>
SUBSTANCE NOTES: This sul	distance is considered prop GS: LT-P1 AGENCY(IES) WITH WAR Japan - GHS	rietary by the supplier  RC: None	NANO: <b>No</b> Carcinogenicity	ROLE: <b>Proprietary</b>
SUBSTANCE NOTES: This sulface of the	distance is considered prop GS: LT-P1 AGENCY(IES) WITH WAR Japan - GHS	rietary by the supplier  RC: None	NANO: <b>No</b> Carcinogenicity	ROLE: <b>Proprietary</b> - Category 1A
SUBSTANCE NOTES: This sul	distance is considered prop GS: LT-P1 AGENCY(IES) WITH WAR Japan - GHS	rietary by the supplier  RC: None	NANO: <b>No</b> Carcinogenicity	ROLE: <b>Proprietary</b> - Category 1A
SUBSTANCE NOTES: This sul	GS: LT-P1  AGENCY(IES) WITH WAR  Japan - GHS	RC: None RIVINGS: RC: None	NANO: <b>No</b> Carcinogenicity  showever, the percentage	POLE: Proprietary  - Category 1A  ge and health hazards are disclosed.
SUBSTANCE NOTES: This sul	GS: LT-P1  AGENCY(IES) WITH WAR  Japan - GHS  bestance is considered prop  GS: LT-UNK  AGENCY(IES) WITH WAR	RC: None RIVINGS: RC: None	NANO: <b>No</b> Carcinogenicity  showever, the percentage	POLE: Proprietary  - Category 1A  ge and health hazards are disclosed.
SUBSTANCE NOTES: This sul	GS: LT-P1  AGENCY(IES) WITH WAR  Japan - GHS  bistance is considered prop  GS: LT-UNK  AGENCY(IES) WITH WAR  No warnings foun	RC: None RC: None RC: None RC: None RC: None	NANO: <b>No</b> Carcinogenicity  showever, the percentage  NANO: <b>No</b>	POLE: Proprietary  - Category 1A  ge and health hazards are disclosed.

HAZARDS:

AGENCY(IES) WITH WARNINGS:

HAZARDS: AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists



### **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

#### **VOC EMISSIONS**

N/A

CERTIFYING PARTY: Self-declared

ISSUE DATE: 0000-01-EXPIRY DATE: CERTIFIER OR LAB: None

APPLICABLE FACILITIES: All

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

### **LCA**

#### **Environmental Product Declaration**

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Hoisington, KS, USA

ISSUE DATE: 2014-06- EXPIRY DATE: 2019-

06-06

CERTIFIER OR LAB: UL

**Environment** 

http://ce.superioressex.com/about/environmental/

**CERTIFICATION AND COMPLIANCE NOTES:** 



### **Section 4: Accessories**

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

### **POLYESTER PULL STRING**

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Installers use wire pulling string as a safe means of pulling wire and cable in the installation. When using proper pulling string, it is possible to install cable without harming the installer or the product.

### Section 5: General Notes

This Health Product Declaration was prepared by Sustainable Solutions Corporation of Royersford, Pennsylvania on behalf of Superior Essex.

#### MANUFACTURER INFORMATION

MANUFACTURER: Superior Essex

ADDRESS: 6120 Powers Ferry Road Suite 150

Atlanta GA 30339, USA

WEBSITE: http://ce.superioressex.com/

CONTACT NAME: Steve Born

TITLE: Sr. Applications Engineer, LEED AP BD+C

PHONE: 770-657-6000

EMAIL: steve.born@spsx.com

#### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Hazard Types**

AQU Aquatic toxicity

GLO Global warming

PHY Physical Hazard (reactive)

CAN Cancer

MAM Mammalian/systemic/organ toxicity

REP Reproductive toxicity

DEV Developmental toxicity

MUL Multiple hazards

RES Respiratory sensitization

END Endocrine activity

NEU Neurotoxicity

SKI Skin sensitization/corrosivity

EYE Eye irritation/corrosivity OZO Ozone depletion LAN Land Toxicity

GEN Gene mutation PBT Persistent Bioaccumulative Toxic NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
NoGS Unknown (no data on List Translator Lists)

#### **Recycled Types**

PreC Preconsumer (Post-Industrial)
PostC Postconsumer

Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

#### **Other Terms**

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created
  after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.